

MASTER LOCK 1175LHSS 58MM WIDE PROSERIES® BRASS RESETTABLE COMBINATION PADLOCK



COMBINATION PADLOCKS

The Master Lock Combination Padlock range offers a variety of padlocks with either programmable or fixed combination. Combination Padlocks are ideal for keyless security, offering flexibility and security all in one package. These Combination Padlocks are ideal for bikes, gates, sheds, lockers and luggage bags, as well as other applications.

MASTER LOCK 1175LHSS PRO SERIES 4-DIGIT CODE

- Heavy duty lock designed for Commercial / Industrial applications
- 58 mm wide Brass body with stainless steel shackle
- 28mm octagonal boron-carbide shackle for excellent cut resistance
- 4 digit selectable combination offering 10,000 possible codes
- Deadlocking mechanism protects against prying, shimming and rap attacks
- Shackle seal and dial dust cover protect internal components and dials for trouble-free operation
- No reset tool required to change combination
- Large ergonomic dials with exclusive blind dial feature permit operation with gloves, in low light or complete darkness
- Shackle seal and dial dust cover protect internal components and dials for trouble-free operation

SKU: 1175LHSS



MASTER LOCK 1175LHSS 58MM WIDE
PROSERIES® BRASS RESETTABLE
COMBINATION PADLOCK



ADDITIONAL INFORMATION

| | |
|------------------------------|-----------|
| Weight | 0.394 kg |
| Dimensions | 57 (W) mm |
| Shackle Diameter | 8mm |
| Horizontal Shackle Clearance | 25mm |
| Vertical Shackle Clearance | 53mm |
| Body Width | 57mm |

MASTER LOCK 1175LHSS 58MM WIDE
PROSERIES® BRASS RESETTABLE
COMBINATION PADLOCK

SECURIKEY®

MASTER LOCK 1175LHSS 58MM WIDE PROSERIES® BRASS RESETTABLE COMBINATION
PADLOCK IMAGES



57mm Pro Series Combination Padlock, 53mm
Shackle



57mm Pro Series Combination Padlock, 53mm
Shackle

MASTER LOCK 1175LHSS 58MM WIDE
PROSERIES® BRASS RESETTABLE
COMBINATION PADLOCK



Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 26/04/2024

