


SAFETY LOCKOUT

Providing essential equipment for the safety and security of your workforce, our safety lockout equipment range includes:

AL802 STEEL SAFETY LOCKOUT HASP

- ALO802
- Lockout by multiple workers at each lockout point
- Attach lockout device to energy disconnect switch
- Keeps equipment inoperative while repairs or adjustments are made
- Control cannot be turned on until last worker's safety padlock is removed from lockout hasp
- Heavy duty pry proof steel jaw with vinyl coated handle
- Dimensions are 2-3/8in (61mm) X 5in (127mm) with 1-1/2in (38mm) inside jaw diameter
- Holds up to 6 safety padlocks


SKU: 802ALO



ADDITIONAL INFORMATION

| | |
|------------|------------------------------|
| Weight | 0.099 kg |
| Dimensions | 127 (H) x 64 (W) x 10 (D) mm |

SAFETY LOCKOUT 802ALO 38MM JAW DIAMETER IMAGES



Scissor Type Safety Lockout Hasp



Scissor Type Safety Lockout Hasp

Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 19/04/2024