


## CABLE LOCKOUTS

Cable lockouts are ideal for multiple circuit break panel and side-by-side valve lockouts. These Cable Lockouts are also easy to use, simply feed the cable end through the points to be locked out, then back through the lockout body. After that, it's a case of cinching it tight to remove any slack within the Cable Lockout's patented locking fixture.

## S806CBL3 CABLE LOCKOUT 4MM X 910MM

- 4mm diameter x 910mm pull-tight cable adjusts for a secure fit every time
- Tough, lightweight Zenex thermoplastic body withstands chemicals
- Performs effectively in extreme conditions (-50°F to +300°F)
- Includes high-visibility, re-usable, write-on safety labels (English, French & Spanish)
- Identify the responsible person, then erase for the next job



SKU: 806SCBL3





## ADDITIONAL INFORMATION

Weight	0.172 kg
Dimensions	203 (H) x 203 (W) x 35 (D) mm
Diameter	4mm





## 806SCBL3 CABLE LOCKOUT 4MM X 910MM IMAGES



S806 Cable Lockout 4mm X 1830mm







Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 25/04/2024



www.securikey.co.uk