

SPECIALIST KEY SYSTEMS

A lock is only as secure as its key so it is important to take key security seriously. Our range of specialist key systems have been developed from our standard 'System' range and are ideally suited to a range of applications. We have a specialist key system for padlock and key storage, emergency key holders, and clear fronted 'key view' doors.

- Bespoke Key Security for up to 140 keys
- Key panels are mounted on easy slide telescopic runners
- Standard locking CEN/VdS approved key lock and 2 keys
- Optional combination or electronic locking
- £10,000 overnight cash cover (£100,000 valuables)
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 1
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Internal door pan is locked to prevent tampering
- Supplied with adjustable (50mm intervals) / removable shelf
- Additional storage space 509 x 290 x 305 mm (H x W x D)
- · Motion sensitive Interior light included
- Twin fixing positions Bolts supplied

SKU: SFEG1055K-140K





MAXIMUM SECURITY KEY CABINET 1055-140K



ADDITIONAL INFORMATION

Weight	115.000 kg
Dimensions	585 (H) x 415 (W) x 425 (D) mm
Certificate	Independently Tested and Certified
Cash Rating	£10,000
Shelves	1
Capacity	140 keys
Locking Options	A – Safe Logic C10, B – 3/4 Wheel Mechanical Combination, G – Wittkopp Primor 2000, I – La Gard 702, M – Safe Logic Direct Drive



MAXIMUM SECURITY KEY CABINET 1055-140K IMAGES





Motion Activated Magnetic Light

AiS Approved





SBD Police Security Initiative

MAXIMUM SECURITY KEY CABINET 1055-140K



Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 29/03/2024

