

### MASTER LOCK FIREPROOF SAFES

Perfect for storing important documents and valuables, the Master Lock Digital Fire Safe range is available with 60 or 120-minute fire protection, and offers 24-hour water resistance\*. The Master Lock Fireproof Safes are ideally suited for domestic and commercial applications.

#### 2 HOUR DIGITAL FIRE SAFE X LARGE LTW123GTC

Ideal for storing documents, records & valuables from fire, water & theft

- UL classified fire resistance - 2 hour at 1010° C
- ETL verified fire resistance for memory sticks, portable hard drives, CD & DVD - 2 hours at 1010° C
- ETL verified water resistant up to 200mm for 24 hours
- ETL verified impact resistance - 4.5metre drop during a fire
- 4 no. 25mm locking bolts & backlit digital keypad\*
- Combination and key are mandatory to unlock Safe
- Pry-resistant hinge for added security
- Door pocket, key rack & multi position shelf
- Automatic interior lighting
- Base fixing - bolts included
- Limited 2 Year guarantee plus an After-fire Replacement guarantee
- \* 4 x AAA alkaline batteries required (not included)



SKU: SML-LTW-123GTC



ADDITIONAL INFORMATION

Weight	58.2 kg
Dimensions	453 (H) x 415 (W) x 491 (D) mm
Volume	33.6
Shelves	1
Internal Height	349mm
Internal Width	319mm
Internal Depth	302mm

MASTER LOCK 2 HOUR DIGITAL FIRE SAFE X LARGE LTW123GTC IMAGES



LTW123GTC\_MAIN



2 Hour Digital Fire Safe X Large LTW123GTC

DIMENSIONS



LTW123GTC\_DIMENSIONS

SECURED DESIGN



LTW123GTC\_SECURITY


MASTER LOCK 2 HOUR DIGITAL FIRE SAFE X LARGE LTW123GTC IMAGES




LTW123GTC\_FIREPROOF



LTW123GTC\_WATERPROOF\_NEW



LTW123GTC\_APPLICATION



LTW123GTC\_WATERPROOF

Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.

