

Customer Name / Reference:



Securikey ModulPrim Strongroom

Quotation Request

In order to provide a more accurate costing for your ModulPrim Vault please complete this form in as much details as possible.

ModulPrim is a Vault assembled from pre-cast panels that are welded together on site. They are available from Grade 0 to 9 and are tested at VdS Germany to EN1143-1. It is possible to have a different grade of Door to Body of vault but the security grade will be based upon the panel rating. As with all safes/vaults, we advise that the end user liaises with their insurer prior to installation and in cases where the vault is used to store large volumes of Pharmaceuticals, also the Home Office Drugs Inspectorate.

Vault Room Grade: (please attach a pencil sketch with dimensions & door location)

1 Dimensions of Vault: Internal / External (delete as appropriate)
Height in cm _____ Width in cm _____ Depth in cm _____

2 Dimensions of room in which Vault is to be located:
Please attach a sketch if possible showing supports, cables, pipes etc if any
Height in cm _____ Width in cm _____ Depth in cm _____

3 Do you require both roof and floor? (5 sides are possible i.e no floor but vault will not be certified)
Roof Floor (please tick if required)

4 Each panel has 2 x 20mm holes for services inside the vault, do you require:

Ventilation Holes YES / NO (delete as appropriate)
If yes please mark the location on the sketch. The quantity will depend volume of vault, 2 panels per 30m² floor area is recommended.

Forced Air Facility YES / NO (delete as appropriate)
If yes please mark the location on the sketch. This consists of opening 250 x 60 with internal protection to prevent entry. Air conditioner is not supplied.

Emergency Escape Door YES / NO (delete as appropriate)
Note: Larger vaults require this in line with Fire Regulations.

Please add any other information to be considered:



Customer Name / Reference:

Securikey ModulPrim Strongroom Door

Quotation Request

Vault Door Grade:

Show location and measurements on sketch. If you require more than 1 door then add this to the sketch and provide a second copy of this page with clear indication.

1 Size*

Standard size grade 0-4 1980mm x 970mm

Standard Size grade 5-9 1970mm x 900mm

Bespoke Size:

Height in cm _____ Width in cm (max 1200mm wide) _____

(All measurements are for clear opening)

2 Threshold height*

Standard (20cm)

Reduced (5mm)

It is possible to have completely sunken threshold on Vaults without floor panels

3 Opening*

Left Hand

Right Hand

4 Locking required*

Key Lock (Complies with EN1143-1 requirements)

Mechanical Dial Combination

Electronic Locking Detail

5 Day Grill*

Please add any other information to be considered:



Survey / Installation

To assist in estimating transportation cost please state first two letters of the post code where the Vault is to be installed

Quotations for vaults are based on delivery only to site and the final price will assume that the customer has made arrangements for suitable equipment to unload the goods and storage is available upon delivery. The ability to off load and handle Door and Panels must be checked by the installer.

Please indicate if you require a quotation for installation, provided in partnership with Associated Security Solutions Ltd*.

The cost for this is £200.00 and will be refunded from the final payment. Payment required prior to site visit. The customer is responsible for building/ planning and fire regulation implications. Final quotation and drawing will include minimum floor loading capacity required.

Depending upon exact specifications, delivery is approximately 4-6 weeks from receipt of 50% of the total order value (including VAT) with the final 50% being payable prior to loading. No goods will be shipped until final settlement in cleared funds has been received.

*Please tick if required

Customer Name / Reference:



Securikey ModulPrim Strongroom

Quotation Request

Vault Room Sketch

Please show a detailed sketch below featuring room dimensions, door location, supports, cables, pipes etc

A large, empty rectangular box with a thin black border, intended for the customer to draw a detailed sketch of the vault room. The sketch should include room dimensions, door location, supports, cables, and pipes.

Should you require a quotation for safety deposit boxes please complete the form and add detail to the sketch and free text with as much details as possible