

# Cash Safes & Vaults

Micro Vault

Euro Vault

Mini Vault/FR

Euro Grade 0-5

DIY & House Safe

Safeguard & Protector

Deposit Safes

Secure Stor

Master Lock® Fire Safe



## Contents

---

Accreditations	03
<b>CASH SAFES &amp; VAULTS</b>	
Micro Vault	04
Euro Vault	05
Mini Vault Silver S2	06
Mini Vault Gold FR S2	07
Euro Grade 0	08
Euro Grade 1	09
Euro Grade 2	10
Euro Grade 3	11
Euro Grade 4 & 5	12
Underfloor & DIY Safes	14
Safeguard & Protector	15
Deposit & Bespoke Safes	16
<b>FIRE SAFES &amp; CABINETS</b>	
Fire Stor	18
Master Lock® Fireproof Chests & Fire Resistant Filing Cabinets	19
Master Lock® Digital Fire Safes	20
<b>SECURITY CABINETS &amp; BOXES</b>	
Secure Stor	21
Gun & Ammunition Cabinets	22
<b>LOCKING OPTIONS</b>	23



# WELCOME

## A leading provider of physical security products for 50 years

Securikey is a trusted partner of many UK companies and institutions, supplying a comprehensive range of innovative security and safety products which meet the requirements of even the most demanding of environments.

Combining our technical expertise and knowledge of security with continued evaluation of customer experience and development of our products, we have provided peace of mind and protection to people, buildings and businesses alike; from the smallest shop to the largest retail store; workshops to factories; Local Authorities to Central Government Agencies; Financial Institutions to NHS Trusts, Schools, Colleges and Universities.

## Securikey.co.uk

The Securikey website features a design focused on user friendly navigation, allowing easy product selection, whilst providing in-depth technical support in both video and printable media. For more detailed information about the company and our products, including downloadable brochures, price lists, cash and fire ratings, installation guides and details of your nearest Securikey stockist, please visit [securikey.co.uk](http://securikey.co.uk). The website is just one method for potential customers to research our products. We welcome you to talk to us directly if the topic is of a more secure or sensitive nature, so please call Securikey on 01252 311888.

## Support

The support section of our website contains over 80 videos showcasing many of our products providing a unique video presentation of operation and programming of our more complex products. These are hosted on YouTube as well as the Securikey website.

## Where to buy:

Securikey products can be purchased from our network of distributors and are available from both the high street (for those customers who like to 'try before they buy') and via selected website retailers. For more details please visit [securikey.co.uk](http://securikey.co.uk).

# ACCREDITATIONS



## Master Locksmiths Association

We are affiliate members of the Master Locksmiths Association, this organisation inspects and tests both individual members and companies to ensure they are delivering a quality service to a agreed standard with employees that are security vetted.



## Secured by Design

Third party approval of our certified products to an agreed police approved standard, only products falling under this accreditation can be recommended by the police force and its agents. Working closely with BSI and Sold Secure etc. on items as diverse as door locks, safes, fencing to advising on designing out crime in new builds.



## ISO 9001-2015

An internationally recognised certification of quality & structure of a business. Securikey ISO certification is audited annually by BVQI and forms one of the bedrocks of our philosophy on customer service.



## Ais

The inclusion of the Ais approved logo re-enforces the importance of independent testing and the products approved status with a large amount of British Insurers. This safe list is a good guide to new and old cash ratings, however you are advised to check with your insurers before installation.



## ESSA

We are members of ESSA, the European Security Systems Association, who provide clear and uniform test methods amongst individual countries test houses.



## Recycling ISO 14001

Products supplied carrying this label are made from or with recyclable materials with special focus of our range of safes graded to European standards, no compromise is made on security just a little more care on the sourcing and sustainability of materials.



## Sold Secure

Securikey uses 2 main test houses for our safe and vault product. The VdS in Germany and Sold Secure in the United Kingdom. Sold Secure is part of the MLA and tests items such as safes, gun cabinets, padlocks and door locks. Sold Secure test to recognise 3rd part standards be that BSI or EN. Rest assured if its certified at Sold Secure its tested every year to ensure continuity of resistance to attack.



# Micro Vault

(£1,000 cash rating)\*

A compact and affordable option, the Micro Vault provides a cash rating of up to £1,000 and will also provide valuables cover of up to £10,000. This rule (x10) can be applied to the safes in all of the Securikey ranges.

Perfect for domestic environments like home offices where cost and size are paramount, the Micro Vault is available in a discreet grey powder-coated paint finish with red interior carpeted base as standard.

The Micro Vault 2 with a removable shelf can accommodate A4 documents. This larger size is fitted with a choice of electronic lock or Euro Profile cylinder for those customers who wish to integrate their safe and house keys.

### ELECTRONIC MODEL:

- With LED display.
- Locking is via an anti-bump solenoid lock with soft touch keypad.
- An override key and master code ensures emergency entry at all times.
- 4 x AA Batteries supplied.

### KEY LOCK MODEL:

- Supplied with Euro Profile 5 pin cylinder, 40mm in length, along with 2 keys.

Body thickness of 2mm and 5mm steel door with 20mm hardened steel locking bolts.

Available in 2 sizes.



Micro Vault 2 Electronic



Micro Vault 2



£1,000

## Micro Vault

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelf
	Height	Width	Depth	Height	Width	Depth			
Micro Vault 1 Electronic	200	310	200	195	305	139	6.9	8	-
Micro Vault 2 Electronic	250	350	250	245	345	189	10.1	16	1
Micro Vault 2 Key	250	350	250	245	345	189	10.1	16	1

\*Insurance ratings may vary dependant on risk & location. Please check with your insurers.



# Euro Vault

(£1,500 cash rating)\*

Utilizing the same build quality as our Mini Vault range these safes will take a laptop, cash drawer, box file or valuables and are available with either a motorised electronic lock with keypad and integrated light for the convenience of keyless entry or Euro Profile Cylinder, for those customers who wish to combine their safe with house or business security arrangements. Perfect for any situation where cost and flexibility are paramount. Optional hotel mode is perfect for commercial rental applications when included in hotel rooms or serviced apartments.



Euro Vault Range

### KEY LOCK MODEL:

- Manufactured with a 2mm body and 4mm anti-bludgeon flush fit door, with 20mm hardened steel locking bolts.
- Supplied with Euro Profile half cylinder. 40mm length.

### ELECTRONIC MODEL:

- Locking is via a motorised lock with keypad.
- An override key and master code ensures emergency entry at all times.

### GAS STRUT ELECTRONIC:

- Designed to allow installation in areas with limited access, this unit has a larger door and integrated light.
- Hinged door with twin gas strut assistance.
- Locking is via a motorised lock with keypad.

### DRAWER SAFE:

- Available in 2 sizes that are perfect for fitted furniture.
- Motorised electronic locking.
- Integrated light.



Euro Vault Electronic Drawer

## Euro Vault

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)
	Height	Width	Depth	Height	Width	Depth		
Euro Vault Key	200	500	400	195	495	350	17	34
Euro Vault Electronic	200	500	400	195	495	350	17	34
Euro Vault Gas Strut	150	400	350	95	395	345	12	13
Euro Vault 12L Drawer	205	400	370	135	305	295	14	12
Euro Vault 17L Drawer	200	510	380	140	405	305	18	17

\*Insurance ratings may vary dependant on risk & location. Please check with your insurers.



# Mini Vault Silver S2

(£4,000 cash rating)

The Mini Vault Silver is ideal for the safekeeping of cash and valuables. Whilst the manufacturing techniques used provide a robust unit for domestic and commercial applications, its internal fittings are those you would expect to protect delicate valuables, such as watches, jewellery and electronic tablets. This protection is achieved by utilising an anti-bludgeon laser cut door (to prevent prying and chisel attack) mounted on concealed hinges and hardened steel plates to protect all vulnerable areas. Both key and electronic lock models are tested and certified to EN14450-S2.

- Manufactured with a 4mm body and 8mm anti-bludgeon flush fit door, with 25mm hardened steel locking bolts.
- Available in 4 sizes, plus 2 deposit options.
- A choice of key or electronic locking mechanisms, the electronic options offers changeable codes, low power warning and LED indicators.
- All models have felt lined walls, thick foam base pad, jewellery shelf\* and battery operated motion sensitive light.
- Mini Vault 3 has been designed to accommodate a till or jewellery draw of a width 410mm.

Deposit options (see page 17)



Mini Vault Silver S2 Range



Single user code with master override and wrong code penalty



## Mini Vault Silver

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0	250	374	274	240	354	210	23	18	-
Mini Vault 1	294	374	325	282	354	260	29	26	1
Mini Vault 2	532	374	425	522	354	360	52	67	2
Mini Vault 3	470	435	405	455	420	355	50	68	1

\*Where applicable - Keypad and handle increase depth by 35mm



# Mini Vault Gold FR S2

(£4,000 cash rating)

The Mini Vault Gold FR is ideal for the safekeeping of documents, valuables and cash. Whilst the manufacturing techniques used are intrinsically the same as Mini Vault Silver the FR model benefits from a double walled construction, with a fire resistant barrier material to DIN 4102. The inclusion of this second level of protection gives the FR model its light fire protection. All models are tested and certified to EN14450-S2.

- Combined body thickness of 6mm, an 8mm anti-bludgeon door with 25mm hardened steel locking bolts.
- Available in 4 sizes.
- Choice of key or electronic locking mechanisms. The electronic options offer changeable code, low power warning and LED indicators.
- All models include jewellery shelf\* and battery operated motion sensitive light, fixing bolts, batteries and operating instructions.



Concealed Hinge & Dog Bolt



Single user code with master override and wrong code penalty



B.L. £4,000 Light Fire Protection

## Mini Vault Gold FR S2

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0 FR	250	374	274	138	304	168	26	7	-
Mini Vault 1 FR	294	374	325	182	304	220	32	12	1
Mini Vault 2 FR	532	374	425	420	304	320	58	41	2
Mini Vault 3 FR	470	435	405	350	360	305	55	38	1

\*Where applicable - Keypad and handle increase depth by 35mm



# Euro Grade 0

(£6,000 cash rating)\*

Constructed to exceed the criteria laid down by the insurance and security industry, these Euro Grade '0' safes are also designed to blend in with today's modern environments, a subtle combination of material and components that function well beyond our customers expectations. The lightweight construction encourages increased installation opportunities with fixing made through twin anchor points.



- £6,000 overnight cash cover (£60,000 valuables)<sup>1</sup>.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Manufactured in accordance with EN1143-1:2005 and independently tested and certified by VdS test house.
- 3-way square locking bolt work, with continuous hinge side protection.
- Door opened to 205° for maximum access.
- Fitted with VdS class 1 double bitted safe lock & 2 keys.
- Optional combination or electronic locking available.
- Internal door pan is locked to prevent tampering.
- Supplied with adjustable (50mm intervals)/removable shelf.

**Multiple locking options (see page 23)  
Deposit options (see page 16)**



Adjustable Shelf



Electronic Lock Option

## Euro Grade 0 Single Key Lock

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth		
0015 <sup>2</sup>	395	325	300	334	275	180	72	17
0025 <sup>2</sup>	395	405	345	334	355	225	91	27
0035 <sup>2</sup>	395	405	425	334	355	305	105	36
0055 <sup>2</sup>	570	405	425	509	355	305	135	55
0085	570	505	495	509	455	375	172	87
0095 <sup>3</sup>	755	505	425	694	455	305	192	96

<sup>1</sup> Excludes 25mm for hinge/handle protection <sup>2</sup> Locking option G available only <sup>3</sup> Dual locking available on model 0095 • \*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



# Euro Grade 1 (£10,000 cash rating)\*

Using the latest technology and with close consultation with what is recognised as one of the best independent test houses, these safes have been designed to perform under the toughest conditions. Their ultra-modern appearance and lightweight construction allows integration in to most environments.



- Tested and certified according to EN 1143-1 Security Grade I.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking possible on models 1095N to 1780.
- Bespoke RAL colours available – please contact us for details.

Multiple locking options (see page 23)  
Deposit options (see page 17)



Three-way Locking Bolts



Audit lock option Revo B

## Euro Grade 1 Single Key Lock

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
1015N <sup>2</sup>	410	335	300	334	275	180	55	17	–	1
1025N <sup>2</sup>	410	415	345	334	355	225	75	27	–	1
1035N <sup>2</sup>	410	415	425	334	355	305	85	36	4	1
1055N <sup>2</sup>	585	415	425	509	355	305	105	55	4	1
1085N	585	515	495	509	455	375	130	87	6	1
1095N	770	515	425	694	455	305	155	96	12	1
1120N	940	515	425	864	455	305	180	120	12	2
1180N	1,120	515	495	1,044	455	375	225	178	18	2
1410N	1,475	765	535	1,399	705	415	375	409	36	3
1535	1,850	840	580	1,720	730	415	495	521	45	4
1780 <sup>3</sup>	1,850	1,190	580	1,720	1,080	415	665	771	70	4

<sup>1</sup> 45mm extra depth with handle and different locks. <sup>2</sup> Locking option G available only. <sup>3</sup> Double doors.  
\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



# Euro Grade 2

(£17,500 cash rating)\*

As with all our Euro Graded safes this model is constructed from solid steel with a composite slab door. The smallest model at 39 litres capacity is one of the most compact Grade 2 safes in the market today. With a range extending to a capacity of 847 litres there is a model to suit virtually any application.



2040N



B C G



£17,500



Light Fire Protection



Recycled and recyclable materials

- Tested and certified according to EN 1143-1 Security Grade II.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Multiple locking options available.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on models 2070N to 2845N.
- Bespoke RAL colours available – please contact us for details.

**Multiple locking options (see page 23)**

**Deposit options (see page 16)**



Bespoke Paint Colour



Mechanical Combination Lock Option

## Euro Grade 2 Single Key Lock

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
2040N <sup>2</sup>	430	460	450	334	380	305	137	39	5	1
2070N <sup>3</sup>	605	535	450	509	455	305	200	71	6	1
2095N <sup>3</sup>	790	535	450	694	455	305	247	96	12	1
2175N <sup>3</sup>	960	610	530	864	530	385	344	176	14	2
2215N <sup>3</sup>	1,140	610	530	1,044	530	385	397	213	21	2
2285N <sup>3</sup>	1,495	610	530	1,399	530	385	501	285	28	3
2395N <sup>3</sup>	1,495	760	560	1,399	680	415	599	395	36	3
2440N <sup>3</sup>	1,320	760	675	1,224	680	530	585	441	27	2
2580N <sup>3</sup>	1,850	840	580	1,754	760	435	768	580	45	4
2845N <sup>3,4</sup>	1,850	1,190	580	1,754	1,110	435	978	847	70	4

<sup>1</sup> 45mm extra depth with handle and different locks. <sup>2</sup> Locking option G available only. <sup>3</sup> Dual locking available on models 2070N to 2845. <sup>4</sup> Double Doors.

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



# Euro Grade 3 (£35,000 cash rating)\*

A safe tested to Grade 3 as well as providing a cash rating of up to £35,000 will also provide valuables cover of up to £350,000. This rule (x10) can be applied to the safes in all of the Securikey ranges.



3070N

- Tested and certified according to EN 1143-1 Security Grade III.
- 3-way 40mm locking bolts, continuous hinge protection and a single high security key lock or digital keypad to EN1300.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/ EN1363-1.
- Standard fittings include adjustable shelving and an alarm connection loop.
- Optional fittings include a lockable inner compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on all models.
- Bespoke RAL colours available – please contact us for details.

**Multiple locking options (see page 23)  
Deposit options (see page 16)**



Lockable Compartment Option



Solid External Hinges & Fire/Smoke Seal



A B



£35,000



Light Fire Protection



Recycled and recyclable materials

## Euro Grade 3 Single Key Lock

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
3070N	600	535	464	509	455	305	275	71	6	1
3095N	785	535	464	694	455	305	340	96	12	1
3175N	955	610	544	864	530	385	480	176	14	2
3215N	1,135	610	544	1,044	530	385	550	213	21	2
3285N	1,490	610	544	1,399	530	385	660	285	28	3
3395N	1,490	760	574	1,399	680	415	830	395	36	3
3440N	1,315	760	689	1,224	680	530	860	441	27	2
3560N	1,850	840	580	1,759	760	421	1,057	563	45	4
3820N <sup>2</sup>	1,850	1,190	580	1,759	1,100	421	1,346	822	70	4

<sup>1</sup> 45mm extra depth with handle and different locks. <sup>2</sup> Double Doors • Dual locking available on all models

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



# Euro Grade 4 & Euro Grade 5 Dual Locking

(£60,000, Grade 4 or £100,000, Grade 5 cash rating)\*

Euro Grade 4 and 5 offer the ultimate in cash and valuables protection. Typical installations include Banks, Diamond Merchants and Casinos.

- Constructed and certified to the European standard EN1143-1 at VdS test house Germany.
- Dual locking as standard with keylock and mechanical combination.
- Rear and base fixing points ensure solid anchoring to suitable substrate.
- Light fire protect to BS476-20 and EN1363-1.
- Choice of digital locks with auditability , biometric and/or pin access.
- Bespoke colours and fittings to suit watches & other collectables.
- Alarm loop if you wish to connect to the building.



4080N



WITTKOPP PRIMOR 2000  
2 User Codes



A B



£60,000



Light Fire Protection



Recycled and recyclable materials

## Euro Grade 4 Dual Locking (Key/Mechanical Combination)

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
4080N	600	610	464	509	530	305	315	82	7	1
4095N	785	535	464	694	455	305	355	96	12	1
4175N	955	610	544	864	530	385	495	176	14	2
4215N	1,135	610	544	1,044	530	385	565	213	21	2
4285N	1,490	610	544	1,399	530	385	675	285	28	3
4395N	1,490	760	574	1,399	680	415	845	395	36	3
4440N	1,315	760	689	1,224	680	530	875	441	27	2
4560N	1,850	840	580	1,759	760	421	1,077	563	45	4
4820N <sup>2</sup>	1,850	1,190	580	1,759	1,110	421	1,372	822	70	4

<sup>1</sup> 45mm extra depth with handle and different locks. <sup>2</sup> Double Doors • Doors open to 205° • \*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



5535

- Tested and certified according to EN 1143-1 and fitted with 2 locks to EN 1300.
- Fitted with 40mm steel sliding bolts.
- Fire-resistant door seal and base fixing points. Tested to BS476-20/ EN1363-1.
- Electronic locking options available.
- Standard fittings include adjustable shelving and alarm connection loop.
- Optional lockable inner compartment, metal door pocket and rotary or tube deposit facility.
- Bespoke RAL colours available – please contact us for details.

**Multiple locking options (see page 23)**  
**Deposit options (see page 16)**



LA GARD 66E  
 1 Manager, 9 User Codes



**Euro Grade 5 Dual Locking (Key/Mechanical Combination)**

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
5100 <sup>3</sup>	840	620	566	680	440	320	705	96	10	1
5150 <sup>3</sup>	1,190	620	566	1,030	440	320	935	145	15	2
5245 <sup>3</sup>	1,380	710	621	1,220	530	375	1,280	242	21	2
5280 <sup>4</sup>	1,530	710	621	1,370	530	375	1,325	272	28	3
5425 <sup>4</sup>	1,530	910	661	1,370	730	415	1,570	415	36	3
5535 <sup>4</sup>	1,880	910	661	1,720	730	415	1,880	521	45	4
5780 <sup>2,4</sup>	1,880	1,260	661	1,720	1,080	415	2,380	771	70	4

<sup>1</sup> 45mm extra depth with handle and different locks. <sup>2</sup> Double Doors <sup>3</sup> Doors open to 205° <sup>4</sup> Doors open to 170° • \*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

# Underfloor & DIY Safes

(Up to £10,000 cash rating)\*

Underfloor safes are designed for installation in a concrete style floor. The level of protection provided due to the nature of the installation and location possibilities is huge. Our DIY safe range is deemed suitable for installation with little or no specialist knowledge. Advice on the installation of this product will be provided at point of purchase.

## DIY RANGE:

- Secure storage for A4 papers, passports, insurance certificates or jewellery.
- Models to install in a timber floor or for surface mounting.

## HOUSESAFE RANGE:

- Available in three models and secured with a high quality safe lock.
- Economic way of protecting cash, valuables and vital documents.



Housesafe Extra  
Size 2



£1,000

Cupboard Safe



Strongbox Extra  
Euro Profile Lock

Up to  
£10,000

## DIY Safes

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
Strongbox Extra Euro Profile Lock	130	400	235	12
Cupboard Safe Euro Profile Lock	130	350	235	12
Strongbox Extra	130	400	235	12.5

£3,000

## Protector – Bodies

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Protector 1	380	360	270	14.5
Protector 2	470	360	270	16.5
Protector 3 Deposit	470	360	270	18.5
Protector 4	560	360	270	18.5
Protector 5 Deposit	560	360	270	20.5

<sup>1</sup>Includes neck height of 150mm. • Aperture = 227 x 180mm.

## Housesafe – Body and Door

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Housesafe Extra – Size 1	345	230	230	17
Housesafe Extra – Size 2	415	305	305	23
Housesafe Extra Deposit	415	305	305	24

<sup>1</sup>Includes neck height of 100mm. • Aperture = 166 x 166mm.

\*Insurance ratings may vary dependent on risk and location. Please check with your insurers.

## Protector – Doors

Model	External Dimensions (mm)			Weight (kg)	Cash Rating
	Height <sup>1</sup>	Width	Depth		
Protector Minor	–	247	200	7.5	£4,000
Protector	–	247	200	10.5	£6,000
Protector ABP <sup>1</sup>	–	247	200	11	£10,000

<sup>1</sup>Extra Protection against attack with Oxy-Acetylene.

# Safeguard & Protector

Protector Body 2



Safeguard Body 2

## PROTECTOR RANGE:

- Available in five models with a choice of interchangeable doors covering 3 cash ratings.
- High level of security with interlocking bolts controlled by a key or keyless combination and anti-drill features.
- ABP models protect against thermal attack.

## SAFEGUARD & SAFEGUARD PLUS:

- Safeguard door thickness 13mm, Safeguard Plus door thickness 25mm.
- Drill resistant.
- Double bitted key lock.
- Stainless steel locking components.

Multiple locking options (see page 23)



Safeguard Plus Door

## Safeguard – Bodies

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Safeguard 2	355	245	245	13
Safeguard 3	425	315	315	19
Safeguard 4D <sup>2</sup>	425	315	315	20

<sup>1</sup> Includes neck height of 100mm

<sup>2</sup> Deposit model includes 12pcs deposit capsules



## Safeguard – Doors

Model	External Dimensions (mm)		Weight (kg)	Cash Rating
	Diameter	Thickness		
Safeguard	175	13	5	£4,000
Safeguard Plus	175	25	7	£6,000



Protector ABP Door

# Deposit & Bespoke Safes

In most commercial environments there is a need for a deposit safe, somewhere where you can safely deposit items such as cash, keys and other valuables without the need for keys and codes to open the safe and without drawing attention to its existence. Securikey provides a wide range of quality deposit safes, with a variety of cash ratings and deposit methods, which offer total flexibility in the workplace.



Top Rotary Drum



SCDR48



Counter Cash



Front Rotary Deposit with Lockable Door

## Underfloor Safes - Page 14

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Housesafe Extra Deposit	415	305	305	24
Protector 3 Deposit Body	470	360	270	18.5
Protector 5 Deposit Body	560	360	270	20.5
Safeguard 4 Body	425	315	315	20

<sup>1</sup> Includes neck. Deposit models includes 12 pcs deposit capsules.

## Steel Stor

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
SCDR48	480	320	320	42

Includes 12 pcs deposit capsules.

## Euro Grade

Model	Aperture Size (mm)		
	Height	Width	Depth
Rotary Drum – Top	90	200	220
Rotary Deposit – Front	66	250	195
Slot Deposit	To customer specification		
Tube Deposit	To customer specification		



Electronic Inner Coffers



Mini Vault 2 Deposit



Colour options available

**Mini Vault Silver**

Model	External Dimensions (mm)			Internal Dimensions (mm)			Aperture Size (mm)		Weight (kg)	Volume (l)
	Height	Width	Depth	Height	Width	Depth	Height	Width		
Mini Vault 1 Deposit	294	374	325	210	365	260	20	140	28	15
Mini Vault 2 Deposit	532	374	425	260	365	360	100	250	48	34

Deposit models and modifications can result in reduced cash ratings. Please check with your insurers.

**MINI VAULT SILVER S2 (see page 06):**

- Ideal under desks or counters.
- Available with letter slot deposit (Mini Vault 1) or front hopper deposit (Mini Vault 2).

**EURO GRADE (see page 08-12):**

- A wide range of models suitable for most applications.
- A choice of different deposit methods including rotary drum, letter slot or capsule deposit tube.
- The secondary installation of a rotary drum or capsule deposit requires removal of the VdS badge. Please inform your insurers accordingly.

**UNDERFLOOR SAFES (see page 14):**

- Ideal for use where space is at a premium.
- Deposit tube diameter is 52mm.

**STEEL STOR:**

- SCDR48 offers a top loading rotary deposit drum with a 90mm x 250mm aperture. A spring return ensures the drum is always closed.

**COUNTER CASH**

- One lock secures to a base plate while a second allows access to stored notes.
- Dimensions ext 225 x 100 x 190mm.

**Multiple locking options (see page 23)**



Secured by Design



Police Preferred Specification

# Fire Stor

(£2,000 cash rating)\*

Our range of secure fire and burglary resistant storage cabinets are an affordable solution for the safekeeping of both valuables and documents. The cabinets are double-walled with a fire resistant barrier material to DIN 4102. The inclusion of this second level of protection gives these cabinets their fire resistance. In addition, they have undergone a burglary test and so are well suited to the storage of valuables up to the value of £20,000.

- Tested and certified to EN 14450 – S1.
- Double walled construction with fire resistant filling to DIN 4102.
- Each model is fitted as standard with five heavy-duty locking bolts secured on three sides and a VdS approved safe lock.
- Additional options include an internal lockable compartment (180mm high on single door version, 300mm high on the double door version), pull-out frames for drop files and additional shelves.
- **Multiple locking options (see page 23)**



1020

1024



1023



1021



B C



£2,000



Light fire protection



Recycled and recyclable materials

## Fire Stor

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Lever Arch Files <sup>1</sup>	Shelves
	Height	Width	Depth	Height	Width	Depth				
1023	860	600	520	690	490	405	95	137	12	1
1022	1,220	600	520	1,050	490	405	120	208	18	2
1021	1,580	600	520	1,410	490	405	145	280	24	3
1020	1,950	930	520	1,780	820	405	215	591	50	4
1024	1,950	1,200	520	1,780	1,090	405	245	786	65	4

<sup>1</sup> Suggested capacities for Lever Arch files – 80mm width • \*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

# Master Lock® Fireproof Chests & Fire Resistant Filing Cabinets



L1200 Fire Chest Small



**FIRE RESISTANT FILING CABINETS:**

- Designed for the safekeeping of paper files.
- Adjustable hanging rails accept all file sizes.
- Independently tested and certified.
- Drawers are mounted on a rugged suspension system.
- Flush handles to prevent injury.

**FIREPROOF CHESTS:**

- Key lock prevents lid from opening in the event of fire.
- Fire and flood proof models.



CHW30300 Digital Lock



**Filing Cabinets**

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth <sup>1</sup>	
4-Drawer Filing Cabinet	1,406	528	675	266



**Master Lock® Fireproof Chests**



Model	Product Codes	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Fire Test
		Height	Width	Depth	Height	Width	Depth			
Fire Chest Small	L1200	155	362	284	89	305	191	6	5.2	30 mins
Fire Chest Medium <sup>1</sup>	LCHW20101	168	391	363	112	325	216	9.3	7.9	30 mins
Fire Chest Large <sup>1</sup>	LCFW30100	193	419	375	136	321	232	14.1	10.1	60 mins
Fire Chest Large <sup>2</sup>	CHW30300	193	419	375	136	321	232	10.9	10.1	30 mins
Fire Chest X Large <sup>2</sup>	LFHW40102	359	421	351	295	305	206	19.5	18.5	30 mins

<sup>1</sup> Water Resistant Construction <sup>2</sup> Digital Locking

# Master Lock® Digital Fire Safes

The perfect solution for storing important documents and valuables, the Master Lock® fireproof safes are UL classified and offer 60 minute protection at 927°C or 120 minute protection at 1010°C. All models are ETL verified, water resistant for 24 hours to a depth of 200mm, and are able to be locked via a programmable digital keypad.

- Programmable digital lock with backlit keypad.
- UL classified fire protection.
- ETL water protection and verified impact resistance.
- Up to 6 large 25mm bolts providing advanced protection against theft.
- Steel construction for durable and reliable protection.



1 Hour Digital Fire Safe X Large



Download the Master Lock® brochure from [securikey.co.uk](http://securikey.co.uk) for further details.



1 Hour Digital Fire Safe XX Large



## Master Lock® Digital Fire Safes

Model	Product Codes	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Shelves	Fire Test
		Height	Width	Depth	Height	Width	Depth				
Digital Fire Safe Large	LFW 082FTC	348	415	491	244	319	292	35.7	22.7	1	60 mins
Digital Fire Safe X Large	LFW 123FTC	453	415	491	349	319	302	38.9	33.6	1	60 mins
Digital Fire Safe XX Large	LFW 205FYC	603	472	491	498	376	302	56.6	56.5	1	60 mins
Digital Fire Safe XX Large with alarm	LFW 205TWC	603	472	491	498	376	302	56.6	56.5	1	60 mins
Digital Fire Safe X Large	LTW 123GTC	453	415	491	349	319	302	58.2	33.6	1	120 mins
Digital Fire Safe XX Large	LTW 205GYC	603	472	491	498	376	302	79.3	56.5	1	120 mins



# Secure Stor (£2,000 cash rating)\*

Secure Stor offers an economic solution to the ever increasing problem of safe storage of high value bulk items, including the safekeeping of medical and pharmaceutical supplies.

Whilst built to the same exacting standards as the Euro Grade range, these units are tested to EN14450-S1 and certified by VdS in Germany. Manufactured with a 3mm solid steel body, with 3-way locking mechanism and VdS approved class 1 safe lock. The internal hinges allow the door to open 102°. Hardened steel plates protect all other areas prone to attack. Available in five sizes with alternative locking options, the cabinet is supplied with prepared base fixing points and shelves.

Multiple locking options (see page 23)  
Deposit options (see page 16)



SC155



SC050




## Secure Stor

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
SC050	430	446	364	377	430	305	35	49	1
SC065	550	446	364	497	430	305	42	65	1
SC110	790	496	364	737	480	305	55	108	1
SC155	1,150	496	364	1,097	480	305	76	161	2
SC215	1,510	496	364	1,457	480	305	96	213	3

# Gun & Ammunition Cabinets

These gun and rifle cabinets exceed the UK standard (BS 7558) for storing firearms and utilise 3-way 25mm locking bolts, secured by a single high security key lock to EN 1300. Concealed hinges and continuous hinge side protection offer superior resistance from attack.

- Multi point locking with 8-lever safe lock.
- Gun cabinets are supplied with a trigger lock to prevent unauthorised use of a firearm during transportation.
- Ammunition cabinet in two sizes is fitted with an electronic lock and key override.
- Tested and approved to SS302-SILVER



Electronic lock TDL



Recycled and recyclable materials

## Gun and Ammunition Cabinets

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Max. Capacity (Weapons)
	Height	Width	Depth	Height	Width	Depth		
Turnbull 1 <sup>1</sup>	1,250	300	285	1,230	290	220	63	7
Turnbull 2 <sup>1</sup>	1,500	380	285	1,480	370	220	84	9
Ammunition Cabinet AC180D	450	420	180	435	415	145	17	–
Ammunition Cabinet	670	420	200	665	415	165	25.5	–

<sup>1</sup> Includes a free gun trigger lock 90D for use during transportation. Turnbull 2 - 1,260mm to underside of fixed shelf.

# Locking Options:



**A REVO B/BR**  
**1 Manager, 39 User Codes**  
 Full function lock with multiple user codes, audit trail and time locking to prevent unauthorised entry during specific time zones.



**E MECHANICAL PUSH BUTTON LOCK**  
 A push button lock similar to those used extensively within offices in the UK. This lock type is available with a slam lock only.



**I LA GARD 39E**  
**1 Manager, 9 User Codes**  
 VdS Class 2 lock with time delay.



**B 3/4-WHEEL MECHANICAL COMBINATION**  
 A combination lock used extensively in the safe industry. Offers in excess of 1 million combinations.



**F CL1000**  
 Entry level electronic lock with programmable 4-digit code, designed to replace our standard Cam Lock. May be fitted horizontally or vertical depending on product.



**J TDL**  
 1 manager and 1 user code with Key override .Can be programmed to both home and hotel mode. Motorised Bolts.



**C REVO A**  
**1 Manager, 8 User Codes**  
 A heavy duty lock offering up to 9 user codes and time delay of up to 99 minutes.



**G WITTKOPP PRIMOR 2000**  
**2 User Codes**  
 VdS Class 2 lock with 2 user code and time delay facility.



**K LA GARD 66E**  
**1 Manager, 9 User Codes**  
 Multi user lock with 512 event audit. Programmable features include time delay, time delay override, dual combination, silent alarm and remote signal override.



**D PADLOCKING CAM LOCK**  
 Designed to replace our standard Cam Lock, this option accepts a padlock with 8mm diameter shackle (Max).



**H MICROLOCK**  
 2 User codes with Key override entry level lock.



**L SAFE LOGIC**  
 Single user code with master override facility and wrong code penalty.

## LOCKING OPTIONS GUIDE


Mechanical	Locking Option	MicroVault	EuroVault	Min Vault Silver & Deposit	Mini Vault Gold FR	Euro Grade 0015-0055	Euro Grade 0085-0095	Euro Grade 1015N-1055N	Euro Grade 1085N-1760N	Euro Grade 2040N	Euro Grade 2070N-2780N	Euro Grade 3	Euro Grade 4 - Dual Locking	Euro Grade 5 - Dual Locking	Under Floor Safes	Fire Stor S1	Secure Stor
Standard Cam Lock	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-Wheel Combination	B	-	-	▲	▲	▲	▲	▲	▲	▲	▲	▲	●	●	▲	▲	▲
4-Wheel Combination	B	-	-	-	-	■	■	■	■	■	■	■	▲	▲	■	■	■
Padlocking Cam Lock	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mechanical Push Button Lock	E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Euro Profile Cylinder	●	▲	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stuv VdS Class 1 Key Lock	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-
Mauer VdS Class 1 Key Lock	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●
Mauer VdS Class 2 Key Lock	●	-	-	-	-	-	-	-	-	-	-	●	●	●	-	-	-
<b>Electronic</b>																	
Revo 'B'	A	-	-	-	-	■	-	■	-	■	▲	■	■	-	■	■	■
Revo 'BR' Redundancy Feature	A	-	-	-	-	-	-	-	-	-	■	▲	▲	-	-	-	-
Revo 'A'	C	-	-	-	-	▲	-	▲	-	▲	-	-	-	-	-	▲	■
CL1000	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wittkopp Primor 2000	G	-	-	■	■	▲	■	▲	■	▲	■	■	■	■	-	■	▲
Micro Lock	H	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
La Gard 39E	I	-	-	■	-	-	-	-	-	-	■	■	■	■	-	■	■
TDL	J	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-
La Gard 66E	K	-	-	■	■	-	-	-	-	-	■	■	■	■	-	■	■
Safe Logic	L	-	-	▲	▲	■	■	■	■	■	■	■	-	-	-	-	■

Key: ● Standard Supply ▲ Standard Option ■ Alternative Option

Unless otherwise stated Securikye products will be supplied with a key lock as standard. The type of lock will depend upon its position within the range. Securikye recognise that there may be a requirement to add or alter the standard locking configuration. It is for this reason we offer the following alternatives.

*Images shown may not be indicative of the lock fitted*

## Other publications:



**+44 (0)1252 311888**

**securikey.co.uk**

**enquiries@securikey.co.uk**

Securikey Limited,  
PO Box 18, Aldershot  
Hampshire, GU12 4SL

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.