

Product Guide

Cash Safes & Vaults
Convex Security Mirrors
Fire Safes & Cabinets

Key Control Systems

Master Lock®

Medical & Ammunition Storage

Retractors & DOP Security Cabinets Strongrooms



WELCOME

A leading provider of physical security products for over 50 years

Securikey is a trusted partner of many UK companies and institutions, supplying a comprehensive range of innovative security and safety products which meet the requirements of even the most demanding of environments.

By combining our technical expertise and deep understanding of security with an ongoing focus on customer experience and product development, we deliver peace of mind and reliable protection to individuals, buildings and businesses of all sizes; from small shops to large retail stores, workshops to factories and from local authorities to central government agencies, financial institutions, NHS Trusts, schools, colleges and universities.



Securikey.co.uk

The Securikey website features a design focused on user friendly navigation, allowing easy product selection, whilst providing in-depth technical support in both video and printable media. For more detailed information about the company and our products, including **downloadable catalogues**, **price lists**, **cash certificates**, **installation guides** and details of your nearest Securikey stockist, please visit **securikey.co.uk**. The website is just one method for potential customers to research our products. We welcome you to talk to us directly if the topic is of a more secure or sensitive nature, so please call Securikey on 01252 311888.

Support:

The support section of our website contains over 80 videos showcasing many of our products providing a unique video presentation of operation and programming of our more complex products. These are hosted on YouTube as well as the Securikey website.

Where to buy:

Securikey products can be purchased from our network of distributors and are available from both the high street (for those customers who like to 'try before they buy') and via selected website retailers. For more details please visit **securikey.co.uk**.

Installation:

Our specialist network of installers is able to deliver and fix any of our safes/cabinets within the UK mainland. The majority of these installations can be carried out by the completion of a simple risk assessment form downloadable from our website **securikey.co.uk**. More complex situations may require a site survey.













Contents

KEY CONTROL SYSTEMS	04	FIRE SAFES & CABINETS	24	RETRACTORS & DOP	38
High Security Key Filing Systems	05	Fire Stor	25	Super 48°	39
Key Vault	07	Master Lock® Fireproof Chests	26	Original	39
System Cabinets	80	& Fire Resistant Filing Cabinets		Securit	40
Specialist Systems	09	Master Lock® Digital Fire Safes	27	Ratch-It®	40
CASH SAFES & VAULTS	10	SECURITY CABINETS & BOXES	28	Sidekick®, Midi & Mini	41
Micro Vault	11	Medical & Pharmaceutical Storage	29	Boomerang Light Duty	41
Euro Vault	12	Secure Stor	30	Boomerang Standard	42
Mini Vault Silver S2	13	Gun & Ammunition Cabinets	31	& Heavy Duty	
Mini Vault Gold FR S2	14	Post Boxes	32	Boomerang Extra Heavy Duty ProHolster & Tech-Tether™	42
Euro Grade 0	15	CONVEX SECURITY MIRRORS	33	ToolMate® Dropped Object	42
Euro Grade 1	16	Interior Convex Mirrors	34	Protection	•
Euro Grade 2	17	Interior Hemisphere Mirrors	34	LOCKING OPTIONS	45
Euro Grade 3	18	Exterior Convex Mirrors	35	EGGRANG OF FIGHTS	
Euro Grade 4	19	Food Processing &	35	ACCREDITATIONS	46
Euro Grade 5	20	Production Lines		& TESTING	
Protector, Underfloor & DIY Safes	21	Traffic Mirrors	36		
Deposit Safes	22	Inspection & Testing Mirrors	36		
Bespoke Safes	23	Institutional & Anti-Vandal	37		



KEY CONTROL SYSTEMS

High Security 100

Effective key management and secure storage is an essential part of any organisation's security strategy. Whether you need a simple key cabinet, a mechanised key control system or a bespoke key control solution, our range of high quality key storage cabinets help to maintain total accountability of large quantities of keys and help prevent unauthorised access within domestic, commercial and industrial environments.









High Security Key Filing Systems

The ultimate in Key Control

Our range of high security key control systems, the most comprehensive available, are manufactured utilising the same technology as our cash safes and tested to approved industry standards. This makes them ideal for safeguarding against lost or stolen keys even within high security commercial applications, such as the UK's prestige motor dealers, police stations and banks.



Euro Graded safe with bespoke key rails





High Security Systems

Model	External	Dimensio	Weight	Holds	
	Height	Width	Depth	(kg)	up to
High Security 100	636	460	120	35	100 keys
High Security 200	636	460	200	46	200 keys
High Security 300	636	460	300	53	300 keys

HIGH SECURITY:

- Body constructed from 3mm steel.
- 6mm slab door
- Three-way locking mechanism with 20mm diameter bolts.
- Features include adjustable hook bars, clever key tags and index control.
- Deeper models are available for the storage of bunches of keys.

BESPOKE KEY SECURITY:

• These units combine the security of a graded safe with telescopic key panels and additional storage. Securikey are able to design and manufacture to suit specific requirements.

FLOOR STANDING SYSTEMS:

- Based upon the Fire Stor (page 25) our Floor Standing systems are larger capacity key cabinets. Their key panels are on telescopic slides for easy access and storage.
- These units are AiS and SBD approved.

Multiple locking options (see page 45)







High Security Deep Systems

Model	External	Dimension	Weight	Holds	
	Height	Width	Depth	(kg)	up to
High Security Deep 50	635	455	180	38	50 bunches
High Security Deep 100	1,100	455	180	62	100 bunches

Floor Standing Systems

Model	External	Dimension	Weight	Holds up	
	Height	Width	Depth	(kg)	to
Floor Standing 960	860	600	520	142	960 keys
Floor Standing 1560	1,220	600	520	182	1,560 keys
Floor Standing 2160	1,580	600	520	230	2,160 keys



High Security Electronic Key Cabinets

Electronic Key Control

Featuring a slimline keypad, LED display and an after hours deposit aperture which is ideal for car hire companies, garages and estate agents.



Key Cabinet 70



5 16 SECURIKEY GEOGRACIANA 5 26 ST 50 ST

Removable Index sheet

High Security Electronic Key Cabinets

Model	Exter	nal Dimen	sions (mm)	Weight		
	Height	Width	Depth	(kg)	Holds up to	
Key Cabinet Electronic 38	340	360	120	12.5	38 keys	
Key Cabinet Electronic 70	450	420	120	17	70 keys	
Key Cabinet Electronic 120	670	420	120	25.5	120 keys	

- Auditable lock with key override function.
- Pop-open door with spring hinge removes the need for a separate handle.
- Deposit aperture with internal carpeted scoop to receive keys/car fobs.
- Body constructed from 2mm steel with 5mm slab door.
- Light grey exterior paintwork, internal light and red carpet.
- Available in three sizes.
- Index card, numbered hookbars and key tags.
- Ties in with all System Cabinets and other Key Cabinets in the Key Control System range.



Key Cabinet 120



Advanced key management

Designed to meet the requirements of insurance companies in the control, tracking and security of keys associated with risk to valuables or property, our range of Key Vaults offers double the security and strength provided by our system cabinets.



Key Vault

Model	External	Dimensio	Weight	Holds up	
	Height	Width	Depth	(kg)	to
Key Vault 30	305	230	70	6	30 keys
Key Vault 48	355	300	80	8	48 keys
Key Vault 100	550	380	80	13	100 keys
Key Vault 200	550	380	140	20	200 keys
Key Vault 400	550	730	140	34	400 keys
Key Vault 600	550	730	205	43	600 keys

Key Vault with Push Button Combination Lock

- Fabricated from 2mm steel.
- Flush closing door for added security.
- Supplied as standard with Euro Profile cylinder lock enabling integration into a buildings master key system.
- Key Vaults are supplied with adjustable hook bars, matching key tags and removable control index.
- Deeper models are available for storage of bunches of keys.
- Ideal for commercial use.
- Includes security loops to secure keys that require clear evidence of tampering or removal.

Multiple locking options (see page 45)



Deep Key Vault

Model	External	Dimensio	Weight	Holds		
	Height	Width	Depth	(kg)	up to	
Key Vault 48 Deep	355	300	140	8	48 bunches	
Key Vault 100 Deep	550	380	140	14	100 bunches	
Key Vault 200 Deep	550	730	140	30	200 bunches	

Key Vault Padlock


Model	External	Dimensio	Weight	Holds up		
	Height	Width	Depth	(kg)	to	
Key Vault 50 Padlocks	550	380	140	14	50 padlocks	
Key Vault 100 Padlocks	550	730	140	30	100 padlocks	



Affordable key control

These cabinets are best suited to domestic and commercial use for key control and tracking. Constructed from pressed and folded steel and secured with a choice of multiple locking options, the cabinets provide the space to store and track up to 600 keys and include adjustable hook bars to accommodate different key lengths. Each model has a removable control index for out-of-hours peace of mind and colour-coded hook bars and tags to ensure quick identification, both of which are numbered. For larger requirements, our range of deep system cabinets provide the extra space required to accommodate bunches or a mixture of bunches and individual keys.

System 30













System Cabinets

Model	External	Dimensio	Weight	Holds up	
	Height	Width	Depth	(kg)	to
System 20 ¹	260	185	80	2	20 keys
System 30	305	215	80	3	30 keys
System 48	355	300	80	4	48 keys
System 64	450	300	80	5	64 keys
System 100	550	380	80	8	100 keys
System 200	550	380	140	14	200 keys
System 300	550	380	205	18	300 keys
System 400	550	730	140	23	400 keys
System 600	550	730	205	34	600 keys

¹No control index.

Includes security loops to secure keys that require clear evidence of tampering or removal.

Multiple locking options (see page 45)





System 50 Key View (page 9)

System 100



Deep Systems

Model	External	Dimensio	Weight	Holds up		
	Height	Width	Depth	(kg)	to	
System 48 Deep	355	300	120	5	48 bunches	
System 100 Deep	550	380	140	8	100 bunches	
System 150 Deep	550	380	205	14	150 bunches	
System 200 Deep	550	730	140	18	200 bunches	



Euro Cylinder Systems

Model	External	Dimensio	ons (mm)	Weight	Holds up	
	Height	Width	Depth	(kg)	to	
System 48 Euro	355	300	80	4	48 keys	
System 100 Euro	550	380	80	8	100 keys	



Specialist Systems

Having many of the same features and benefits of our System cabinets, this specialist range of products has been designed to suit specific applications. Examples of this are cabinets designed to house padlocks and keys used to isolate switchgear or machinery, clear fronted cabinets for instant visual check of all stored keys and emergency key boxes to house a restricted key near to a locked door in case of emergency.



Emergency Key Box Range



Emergency Key Holding Boxes

Model	Externa	l Dimensi	Weight	No. of	
	Height	Width	Depth	(kg)	Hooks
K0¹	153	120	40	1	1
K1 ²	153	120	40	1	1
K1SF - Solid Front ²	153	120	40	1	1
K1PHZ - To suit Euro Cylinder	155	123	50	1.3	1
K1L0-Safety Lockout ² 12 Padlock holes	155	155	63	1	3
K1L05 ² 10 Padlock holes	155	120	63	1	1

 $^{^{1}\}mbox{Has}$ no lock, but provision for a seal. Supplied with a hammer and chain plus 2 seals.

² Fitted with cylinder lock.









Padlock Security Systems

Model	External	Dimensio	ons (mm)	Weight	Holds
	Height	Width	Depth	(kg)	up to
System 24 Padlock ¹	355	300	120	5	24 padlocks
System 50 Padlock ¹	550	380	140	10	50 padlocks
System 100 Padlock ¹	550	730	140	17	100 padlocks

¹Padlocks not supplied.

PADLOCK SECURITY SYSTEMS:

- Designed to house padlocks and keys to isolate switchgear or machinery.
- Available in 3 sizes.
- Holds up to 100 locks.
- Fitted with extra deep hooks, staggered and spaced 54mm apart.

KEY VIEW SYSTEMS:

- Key View has the same features and benefits as our System Key Cabinets.
- Key View cabinets have a plexi-glass front for easy viewing of stored keys.
- Holds up to 50 keys.

EMERGENCY KEY HOLDING BOXES:

- Steel construction with 2mm break glass or solid front.
- Available in 6 models.


Multiple locking options (see page 45)



Portable Key Systems

Model	Exterr	nal Dimer (mm)	sions	Weight	Holds
	Height	Width	Depth	(kg)	up to
System 20 Portable ¹	260	185	80	2	20 keys
System 30 Portable	305	215	80	3	30 keys

¹No control index



Key View Systems

Model	External	Dimension	ons (mm)	Weight	Holds
	Height	Width	Depth	(kg)	up to
System 24 Key View	355	300	80	4	24 keys
System 32 Key View	450	300	80	5	32 keys
System 40 Key View	550	380	80	6	40 keys
System 50 Key View	550	380	80	6	50 keys



"Bringing piece of mind to any environment"

CASH SAFES & VAULTS



Mini Vault 3

Our range of free-standing safes offers the most comprehensive choice whilst maintaining clear areas of speciality. Each safe is assigned a cash rating based on its resistance to attack, helping you select the model that best suits your security needs. Our Euro Graded safes offer maximum protection with full VdS Test House approval and provide a robust solution for storing money and valuables in both domestic and commercial environments.



A compact and affordable option, the Micro Vault provides a cash rating of up to £1,000 and a valuables cover of up to £10,000. This rule (x10) can be applied to the safes in all of the Securikey ranges.

Perfect for domestic environments like home offices where cost and size are paramount, the Micro Vault is available in a discreet grey powder-coated paint finish with red interior carpeted base as standard.

The Micro Vault 2 with a removable shelf can accommodate A4 documents. This larger size is fitted with a choice of electronic lock or Euro Profile cylinder for those customers who wish to integrate their safe and house keys.

ELECTRONIC MODEL:

- With LED display.
- Locking is via an anti-bump solenoid lock with soft touch keypad.
- An override key and master code ensures emergency entry at all times.
- 4 x AA Batteries supplied.

KEY LOCK MODEL:

Supplied with Euro Profile 5 pin cylinder, 40mm in length, along with 2 keys.

Body thickness of 2mm and 5mm steel door with 20mm steel locking bolts.

Available in 3 sizes.



Micro Vault 3 Electronic





Micro Vault 2 Electronic

Micro Vault 2

£®ı £1.000

Micro Vault

Model	External Dimensions (mm)			Intern	al Dimensions	s (mm)	Weight	Volume	Chale
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Shelf
Micro Vault 1 Electronic	200	310	200	195	305	139	6.9	8	-
Micro Vault 2 Electronic	250	350	250	245	345	189	10.1	16	1
Micro Vault 2 Key	250	350	250	245	345	189	10.1	16	1
Micro Vault 3 Key	360	350	330	355	345	269	11.8	33	1
Micro Vault 3 Electronic	360	350	330	355	345	269	11.8	33	1

^{*}Insurance ratings may vary dependant on risk & location. Please check with your insurers.

Euro Vault (£1,500 cash rating)*

Utilizing the same build quality as our Mini Vault range these safes will take a laptop, cash drawer, box file or valuables. They are available with either a motorised electronic lock with keypad and integrated light for the convenience of keyless entry or Euro Profile Cylinder for those customers who wish to integrate their safe with house or business security arrangements. Perfect for any situation where cost and flexibility are paramount. Optional hotel mode is perfect for commercial rental when included in hotel rooms or serviced apartments.





Euro Vault Biometric Keypad

Euro Vault Range

KEY LOCK MODEL:

- Manufactured with a 2mm body and 4mm anti-bludgeon flush fit door, with 20mm hardened steel locking bolts.
- Supplied with Euro Profile half cylinder. 40mm length.

ELECTRONIC MODEL:

- Locking is via a motorised lock with keypad.
- An override key and master code ensures emergency entry at all times.

GAS STRUT ELECTRONIC:

- Designed to allow installation in areas with limited access, this unit has a larger door and integrated light.
- Hinged door with twin gas strut assistance.
- Locking is via a motorised lock with keypad.

DRAWER SAFE:

- Available in 2 sizes that are perfect for fitted furniture.
- Motorised electronic locking.
- Integrated light.

BIOMETRIC SAFE:

- Locking via Pin or Fingerprint & combination of both.
- 20 fingerprints recorded.
- Mechanical key override.
- Two adjustable shelves and interior light.
- 4mm Anti-bludgeon door and 2mm body.

Model	Extern	al Dimension	s (mm)	Intern	al Dimension	Weight	Volume	
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)
Euro Vault Key	200	500	400	195	495	350	17	34
Euro Vault Electronic	200	500	400	195	495	350	17	34
Euro Vault Gas Strut	150	400	350	95	395	345	12	13
Euro Vault 12L Drawer	205	400	370	135	305	295	14	12
Euro Vault 17L Drawer	200	510	380	140	405	305	18	17
Euro Vault Biometric	450	420	420	445	415	370	27	65

^{*}Insurance ratings may vary dependant on risk & location. Please check with your insurers.

£ 🕸

£1,500









Mini Vault Silver S2

(£4,000 cash rating)*

The Mini Vault Silver is ideal for the safekeeping of cash and valuables. Whilst the manufacturing techniques used provide a robust unit for domestic and commercial applications, its internal fittings are those you would expect to protect delicate valuables such as watches, jewellery and electronic tablets. This protection is achieved by utilising an anti-bludgeon laser cut door (to prevent prying and chisel attack) mounted on concealed hinges and hardened steel plates to protect all vulnerable areas. Both key and electronic lock are tested and certified to EN14450-S2.

- Manufactured with a 4mm body and 8mm anti-bludgeon flush fit door, with 25mm hardened steel locking bolts.
- Available in 4 sizes, plus 2 deposit options.
- A choice of key or electronic locking mechanisms, the electronic option offers changeable codes, low power warning and LED indicators.
- All models have felt-lined walls, thick foam base pad, jewellery shelf* and battery operated motion sensitive light.
- Mini Vault 3 has been designed to accommodate a cash till or jewellery drawer with a width of 410mm.

Deposit options available (see page 22)





Single User Code with master override and wrong code penalty





Mini Vault Silver

Model	External Dimensions (mm)			Intern	al Dimension	s (mm)	Weight	Volume	Shelves
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Sneives
Mini Vault 0	250	374	274	240	354	210	23	18	_
Mini Vault 1	294	374	325	282	354	260	29	26	1
Mini Vault 2	532	374	425	522	354	360	52	67	2
Mini Vault 3	470	435	405	455	420	355	50	68	1

^{*} Insurance rating may vary depending on risk and location. Please check with your insurers • Keypad and handle increase depth by 35mm.









Mini Vault Gold FR S2

(£4,000 cash rating)*

The Mini Vault Gold FR is ideal for the safekeeping of documents, valuables and cash. Whilst the manufacturing techniques used are intrinsically the same as Mini Vault Silver the FR model benefits from a double-walled construction, with a fire-resistant barrier material to DIN 4102. The inclusion of this second level of protection gives the FR model light fire protection. All models are tested and certified to EN14450-S2.



Mini Vault 3 FR

- Combined body thickness of 6mm, an 8mm anti-bludgeon door with 25mm hardened steel locking bolts.
- Available in 4 sizes.
- Choice of key or electronic locking mechanisms. The electronic options offer changeable codes, multiple users, low power warning and LED indicators.
- All models include jewellery shelf* and battery operated motion sensitive light, fixing bolts, batteries and operating instructions.



Concealed Hinge & Dog Bolt











Mini Vault Gold FR S2


Model	External Dimensions (mm)			Intern	al Dimension	s (mm)	Weight	Volume	Shelves
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Sneives
Mini Vault 0 FR	250	374	274	138	304	168	26	7	_
Mini Vault 1 FR	294	374	325	182	304	220	32	12	1
Mini Vault 2 FR	532	374	425	420	304	320	58	41	2
Mini Vault 3 FR	470	435	405	350	360	305	55	38	1

^{*} Insurance rating may vary depending on risk and location. Please check with your insurers • Keypad and handle increase depth by 35mm.









(£6,000 cash rating)*

of materials and components that function well beyond expectations.



- £6,000 overnight cash cover (£60,000 valuables).*
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Manufactured in accordance with EN1143-1 and independently tested and certified by VdS test house.
- 3-way square locking bolt work, with continuous hinge side protection.
- Door opened to 205° for maximum access.
- Fitted with VdS class 1 double bitted safe lock & 2 keys.
- Optional combination or electronic locking available.
- Internal door pan is locked to prevent tampering.
- Supplied with adjustable (50mm intervals)/removable shelf.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)





Adjustable Shelf

SafeLogic Direct Drive

Constructed to exceed the criteria laid down by the insurance and security industry, these Euro Grade '0' safes are also designed to blend in with today's modern environments, a subtle combination



Euro Grade 0 Single Key Lock


Model	External Dimensions (mm)			Intern	al Dimension	s (mm)	Weight	Volume	Lever Arch	Chalasa
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Files	Shelves
0015 ²	395	325	300	334	275	180	72	17	-	1
0025 ²	395	405	345	334	355	225	91	27	-	1
0035 ²	395	405	425	334	355	305	105	36	4	1
0055 ²	570	405	425	509	355	305	135	55	4	1
0085	570	505	495	509	455	375	172	87	6	1
0095³	755	505	425	694	455	305	192	96	12	1

¹Excludes 25mm for hinge/handle protection ² Locking option G available only ³ Dual locking available on model Ø095 • * Insurance ratings may vary dependent on risk & location. Please check with your insurers.









(£10,000 cash rating)*

Using the latest technology and with close consultation with what is recognised as one of the best independent test houses, these safes have been designed to perform under the toughest conditions. Their ultra modern appearance and lightweight construction allows integration into most environments.













- Tested and certified according to EN 1143-1 Security Grade I.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking possible on models 1095N to 1780.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)





Three-way locking bolts

Wittkopp Primor

Euro Grade 1 Single Key Lock


Model	Extern	nal Dimension	s (mm)	Intern	al Dimensions	s (mm)	Weight	Volume	Lever	Chabas
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Arch Files	Shelves
1015N ²	410	335	300	334	275	180	55	17	_	1
1025N²	410	415	345	334	355	225	75	27	_	1
1035N ²	410	415	425	334	355	305	85	36	4	1
1055N ²	585	415	425	509	355	305	105	55	4	1
1085N	585	515	495	509	455	375	130	87	6	1
1095N	770	515	425	694	455	305	155	96	12	1
1120N	940	515	425	864	455	305	180	120	12	2
1180N	1,120	515	495	1,044	455	375	225	178	18	2
1410N	1,475	765	535	1,399	705	415	375	409	36	3
1535	1,850	840	580	1,720	730	415	495	521	45	4
1780³	1,850	1,190	580	1,720	1,080	415	665	771	70	4

 $^{^1}$ 45mm extra depth with handle and different locks. 2 Locking option G available only. 3 Double doors. *Insurance ratings may vary dependent on risk & location. Please check with your insurers.









(£17,500 cash rating)*

As with all our Euro Graded safes this model is constructed from solid steel with a composite slab door. The smallest model with a 39 litre capacity is one of the most compact Grade 2 safes on the market today. With a range extending to a capacity of 847 litres there is a model to suit virtually any application.




Recycled and recyclable materials

- Tested and certified according to EN 1143-1 Security Grade 2.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Multiple locking options available.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit
- Dual locking available on models 2070N to 2845N.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)







Mechanical Combination Lock Option

Euro Grade 2 Single Key Lock

Light Fire Protection


Model	Extern	nal Dimension	s (mm)	Intern	Internal Dimensions (mm)			Volume	Lever	Shelves
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Arch Files	Sneives
2040N ²	430	460	450	334	380	305	137	39	5	1
2070N ³	605	535	450	509	455	305	200	71	6	1
2095N ³	790	535	450	694	455	305	247	96	12	1
2175N ³	960	610	530	864	530	385	344	176	14	2
2215N ³	1,140	610	530	1,044	530	385	397	213	21	2
2285N ³	1,495	610	530	1,399	530	385	501	285	28	3
2395N³	1,495	760	560	1,399	680	415	599	395	36	3
2580N ³	1,850	840	580	1,754	760	435	768	580	45	4
2845N ^{3 4}	1,850	1,190	580	1,754	1,110	435	978	847	70	4

¹ 45mm extra depth with handle and different locks. ² Locking option G available only. ³ Dual locking available on models 2070N to 2780. ⁴ Double Doors. *Insurance ratings may vary dependent on risk & location. Please check with your insurers.









(£35,000 cash rating)*

A safe tested to Grade 3 as well as providing a cash rating of up to £35,000 will also provide valuables cover of up to £350,000. This rule (x10) can be applied to the safes across all of the Securikey ranges.



- Tested and certified according to EN1143-1 Security Grade 3.
- 3-way 40mm locking bolts, continuous hinge protection and a single high security key lock or digital keypad to EN1300.
- Fire resistant door seal and base fixing point with rear fixing option included as standard. Tested to BS476-20/EN1363-1.
- Standard fittings include adjustable shelving and an alarm connection loop.
- Optional fittings include a lockable inner compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on all models.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)







Solid External Hinges & Fire/Smoke Seal











Euro Grade 3 Single Key Lock

Model	Extern	al Dimension	s (mm)	Intern	al Dimensions	s (mm)	Weight	Volume	Lever	Shelves
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Arch Files	Sneives
3070N	600	535	464	509	455	305	275	71	6	1
3095N	785	535	464	694	455	305	340	96	12	1
3175N	955	610	544	864	530	385	480	176	14	2
3215N	1,135	610	544	1,044	530	385	550	213	21	2
3285N	1,490	610	544	1,399	530	385	660	285	28	3
3395N	1,490	760	574	1,399	680	415	830	395	36	3
3560N	1,850	840	580	1,759	760	421	1,057	563	45	4
3820N ²	1,850	1,190	580	1,759	1,100	421	1,346	822	70	4

 $^{^1}$ 45mm extra depth with handle and different locks. 2 Double Doors • Dual locking available on all models *Insurance ratings may vary dependent on risk & location. Please check with your insurers.







Euro Grade 4 Dual Locking


(£60,000 cash rating)*

Euro Grade 4 offers the ultimate solution for cash and valuables protection. Typical installations include Banks and Diamond Merchants.



- Tested and certified according to EN 1143-1 and fitted with 2 locks to EN 1300.
- Fitted with 40mm steel sliding bolts.
- Fire-resistant door seal and base fixing points. Tested to BS476-20/ EN1363-1.
- Electronic locking options available.
- Standard fittings include adjustable shelving and an alarm connection loop.
- Optional lockable inner compartment, metal door pocket and rotary or tube deposit facility.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)















Euro Grade 4 Dual Locking (Key/Mechanical Combination)

Model	Extern	al Dimension	ıs (mm)	Intern	al Dimension	s (mm)	Weight	Volume	Lever	Ch. I
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Arch Files	Shelves
4080N	600	610	464	509	530	305	315	82	7	1
4095N	785	535	464	694	455	305	355	96	12	1
4175N	955	610	544	864	530	385	495	176	14	2
4215N	1,135	610	544	1,044	530	385	565	213	21	2
4285N	1,490	610	544	1,399	530	385	675	285	28	3
4395N	1,490	760	574	1,399	680	415	845	395	36	3
4440N	1,315	760	689	1,224	680	530	875	441	27	2
4560N	1,850	840	580	1,759	760	421	1,077	563	45	4
4820N ²	1,850	1,190	580	1,759	1,110	421	1,372	822	70	4

¹⁴⁵mm extra depth with handle and different locks. 2 Double Doors • Doors open to 2050 • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.







Euro Grade 5 Dual Locking


(£100,000, Grade 5 cash rating)*

Euro Grade 5 offers the ultimate solution for cash and valuables protection. Typical installations include Banks and Diamond Merchants.



- Tested and certified according to EN 1143-1 and fitted with 2 locks to EN 1300.
- Fitted with 40mm steel sliding bolts.
- Fire-resistant door seal and base fixing points. Tested to BS476-20/EN1363-1.
- Electronic locking options available.
- Standard fittings include adjustable shelving and an alarm connection loop.
- Optional lockable inner compartment, metal door pocket and rotary or tube deposit facility.
- Bespoke RAL colours available.

Multiple locking options (see page 45) Deposit options (see page 22)













Euro Grade 5 Dual Locking (Key/Mechanical Combination)

Model	Extern	External Dimensions (mm)			al Dimension	Weight	Volume	Lever	Ch. I	
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)	Arch Files	Shelves
5100 ³	840	620	566	680	440	320	705	96	10	1
5150 ³	1,190	620	566	1,030	440	320	935	145	15	2
5245³	1,380	710	621	1,220	530	375	1,280	242	21	2
5280 ⁴	1,530	710	621	1,370	530	375	1,325	272	28	3
5425 ⁴	1,530	910	661	1,370	730	415	1,570	415	36	3
5535 ⁴	1,880	910	661	1,720	730	415	1,880	521	45	4
5780 ²⁴	1,880	1,260	661	1,720	1,080	415	2,380	771	70	4

¹⁴⁵mm extra depth with handle and different locks. 2 Double Doors 3 Doors open to 205° 4 Doors open to 170° • *Insurance ratings may vary dependent on risk & location. Please check with your insurers.

Protector, Underfloor & DIY Safes

(Up to £10,000 cash rating)*

Underfloor safes are designed for installation in a concrete floor. The level of protection provided due to the nature of the installation and location possibilities is huge. Our range of DIY safes is deemed suitable for installation with little or no specialist knowledge. Advice on the installation of this product will be provided at point of purchase.

Cupboard Safe Protector Body 2

DIY RANGE:

- Secure storage for A4 papers, passports, insurance certificates or jewellery.
- Models can be installed in a timber joist floor or can be surface mounted.

PROTECTOR RANGE:

- Available in five models with a choice of interchangeable doors covering 3 cash ratings.
- High level of security with interlocking bolts controlled by a key or keyless combination and anti-drill features.
- ABP models protect against thermal attack.



Model	External	Dimension	ons (mm)	Weight
	Height	Width	Depth	(kg)
Strongbox Extra Euro Profile Lock	130	400	235	12
Cupboard Safe Euro Profile Lock	130	350	235	12
Strongbox Extra	130	400	235	12.5



Protector ABP Door





Protector - Doors

lodel	External	Dimensio	ns (mm)	Weight	Model	External	Dimensio	ns (mm)	Weight	Cash
	Height ¹	Width	Depth	(kg)		Height ¹	Width	Depth	(kg)	Rating
rotector 1	380	360	270	14.5	Protector Minor	-	247	200	7.5	£4,000
rotector 2	470	360	270	16.5	Protector	-	247	200	10.5	£6,000
rotector 3 Deposit	470	360	270	18.5	Protector ABP ¹	-	247	200	11	£10,000

 $^{^{\}rm 1}{\rm Extra}$ Protection against attack with Oxy-Acetylene.

Protector – Bodies

Model	External	Dimensio	ns (mm)	Weight
	Height ¹	Width	Depth	(kg)
Protector 1	380	360	270	14.5
Protector 2	470	360	270	16.5
Protector 3 Deposit	470	360	270	18.5
Protector 4	560	360	270	18.5
Protector 5 Deposit	560	360	270	20.5

 $^{^{1}}$ Includes neck height of 150mm. Aperture = 227 x 180mm.

Deposit Safes

In many commercial settings, a deposit safe is essential; a secure place to discreetly deposit cash or valuables without needing a key or code to open the safe, while keeping its presence low profile. Securikey offers a wide range of quality deposit safes, with a variety of cash ratings and deposit methods, which offer total flexibility in the workplace.





Mini Vault 1 Slot Deposit





Euro Grade

Model	Ар	erture Size (m	nm)			
	Height	Width	Depth			
Rotary Drum – Top	90	200	220			
Rotary Deposit - Front	66	250	195			
Slot Deposit	To cus	tomer specifi	cation			
Tube Deposit	To customer specification					

EURO GRADE & MINI VAULT (see page 13 & 15):

- Ideal under desks or counters.
- Available with letter slot deposit (Mini Vault 1) or front hopper deposit (Mini Vault 2).
- A wide range of models suitable for most applications.
- A choice of 4 different deposit methods including rotary drum, letter slot or capsule deposit tube.
- The secondary installation of a rotary drum or capsule deposit requires removal of the VdS badge. Please inform your insurers accordingly.

UNDERFLOOR SAFES (see page 21):

- Ideal for use where space is at a premium.
- Deposit tube diameter is 52mm.

Multiple locking options (see page 45)



Mini Vault Silver

Model	Externa	al Dimensio	ns (mm)	Internal Dimensions (mm) Aperture Size (mm)				Size (mm)	Weight	Volume
	Height	Width	Depth	Height	Width	Depth	Height	Width	(kg)	(1)
Mini Vault 1 Deposit	294	374	325	210	365	260	20	140	28	15
Mini Vault 2 Deposit	532	374	425	260	365	360	100	250	48	34

Deposit models and modifications can result in reduced cash ratings. Please check with your insurers.

Bespoke Safes

The ability to customise a product for the end user enhances functionality and allows the safe or cabinet to better blend with its surroundings. The Mini Vault Luxe shown below is fitted with jewellery trays, a glass shelf and bespoke paint colour. This Luxe model has now become part of our standard offering, testament to a desire for something that little bit different.







Matching Lock & Handle



Jewellery Trays





Grade 5 Bespoke Paint Colour



"Securing your documents from all forms of attack including fire and flood"



FPW082FTCML

FIRE SAFES & CABINETS

In the aftermath of a fire, access to important documents such as insurance policies, wills, passports and certificates is essential to getting back on your feet. Securikey's range of modern, high security, fire-resistant safes and vaults are manufactured to the exacting standards and independently tested and approved for a combination of fire protection, flood and physical attack.









Fire Stor

(£2,000 cash rating)*

Our range of secure fire and burglary resistant storage cabinets are an affordable solution for the safekeeping of both valuables and documents. The cabinets are double-walled with a fire resistant barrier material to DIN 4102. The inclusion of this second level of protection gives these cabinets their fire resistance. In addition, they have undergone a burglary test and are therefore well suited to the storage of valuables up to the value of £20,000.

- Tested and certified to EN14450 S1.
- Double-walled construction with fire resistant filling to DIN 4102.
- Each model is fitted as standard with five heavy-duty locking bolts secured on three sides and a VdS approved safe lock.
- Additional options include an internal lockable compartment (180mm high on single door version, 300mm high on the double door version), pull-out frames for hanging files and additional shelves.

Multiple locking options (see page 45)



















Fire Stor

Model	Extern	al Dimension	s (mm)	Intern	al Dimensions	Weight	Capacity	Lever	Chabas	
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Arch Files ¹	Shelves
1023	860	600	520	690	490	405	95	137	12	1
1022	1,220	600	520	1,050	490	405	120	208	18	2
1021	1,580	600	520	1,410	490	405	145	280	24	3
1020	1,950	930	520	1,780	820	405	215	591	50	4
1024	1,950	1,200	520	1,780	1,090	405	245	786	65	4

 $^{^1} Suggested \, capacities \, for \, Lever \, Arch \, files \, -\, 80 mm \, width \, \, ^* Insurance \, ratings \, may \, vary \, dependent \, on \, risk \, \& \, location. \, Please \, check \, with \, your \, insurers. \, and \, results \, for \, lever \, and \, results \,$

Master Lock® Fireproof Chests & Fire Resistant Filing Cabinets



FIRE RESISTANT FILING CABINETS:

- Designed for the safekeeping of paper
- Adjustable hanging rails suitable for all file
- Independently tested and certified.
- Drawers are mounted on a rugged suspension system.
- Flush handles to prevent injury.

FIREPROOF CHESTS:

- Key or digital lock prevents the lid from opening in the event of fire.
- Fire and flood proof models.

FIREPROOF WALLET:

CHW30300

Digital Lock

- Fire and water resistant bag.
- Duel closure with snaps and zipper.



Filing Cabinets

Model	Extern	External Dimensions (mm)						
	Height	Width	Depth	(kg)				
4-Drawer Filing Cabinet	1,406	528	675	266				



Master Lock® Fireproof Chests

Model	Product	External Dimensions (mm)			Interna	l Dimensio	ns (mm)	Weight	Capacity	Fire Test
	Codes	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	rire lest
Fire Chest Small	L1200	155	362	284	89	305	191	6	5.2	30 mins
Fire Chest Medium¹	LCHW20101	168	391	363	112	325	216	9.3	7.9	30 mins
Fire Chest Large¹	LCFW30100	193	419	375	136	321	232	14.1	10.1	60 mins
Fire Chest Large ²	CHW30300	193	419	375	136	321	232	10.9	10.1	30 mins
Fire Chest Extra Large²	FHW40300	359	421	351	295	305	206	19.5	18.5	30 mins
Fire Wallet	FBWLZ0	380	280	-	-	-	-	0.34	2.8	-

¹Water resistant construction ² Digital locking

Master Lock® Digital Fire Safes

The perfect solution for storing important documents and valuables, Master Lock® fireproof safes are UL classified and offers 60 minute protection at 927°C or 120 minute protection at 1010°C.

All models are ETL verified, water resistant to a depth of 200mm for 24 hours and are locked via a programmable digital keypad.

Master

- Programmable digital lock with backlit keypad.
- UL classified fire protection.
- ETL water protection and verified impact resistance.
- Up to 6 large 1 inch bolts providing advanced protection against theft.
- Steel construction for durable and reliable protection.



Download the Master Lock® brochure from securikey.co.uk for further details.







60mins 120mins



Fire Safe XX Large

Master Lock® Digital Fire Safes

Model	Product	Externa	I Dimensio	ns (mm)	Interna	l Dimensio	ns (mm)	Weight	Capacity	Shelves	Fire Test
	Codes	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Sneives	rire lest
Digital Fire Safe Large	FPW 082FTCML	348	417	418	244	320	292	23	24.9	-	60 mins
Digital Fire Safe Large	LFW 082FTC	348	415	491	244	319	292	35.7	22.7	1	60 mins
Digital Fire Safe X Large	LFW 123FTC	453	415	491	349	319	302	38.9	33.6	1	60 mins
Digital Fire Safe XX Large	LFW 205FYC	603	472	491	498	376	302	56.6	56.5	1	60 mins
Digital Fire Safe XX Large with alarm	LFW 205TWC	603	472	491	498	376	302	56.6	56.5	1	60 mins
Digital Fire Safe X Large	LTW 123GTC	453	415	491	349	319	302	58.2	33.6	1	120 mins
Digital Fire Safe XX Large	LTW 205GYC	603	472	491	498	376	302	79.3	56.5	1	120 mins



SECURITY Medicine Cabinet 200D CABINETS & BOXES

The secure storage of both drugs and firearms is very strictly controlled. Where as cash and valuables risk is covered by an insurer, an inadequate provision made by a company or individual for keeping dangerous drugs and armaments can result in personal prosecution and subsequent incarceration. This range of products will ensure you comply to the relevant standard.

Medical and Pharmaceutical Storage

Our range of Medical Storage Cabinets are designed using our extensive knowledge of the protection and control of cash and valuables. The 'Bronze Level' Medical Cabinet is suitable for storing general First Aid items, whilst the 'Gold' and 'Silver' units are perfect for drugs that are governed by the Home Office Drugs Inspectorate.

- Bronze level cabinet features: 1.5mm pressed steel construction with security cam lock, shelves and lockable inner compartment.
- Silver level cabinets feature: 2mm body with 5mm door fitted with digital lock.
- Gold level cabinet to EN14550 (page 30).
 Gold and Silver cabinets conform to the

Gold and Silver cabinets conform to the construction required for the misuse of drugs (safe custody) regulation 1973.





Medicine Cabinet 200D internal





Medicine Cabinet 200D

Medical and Pharmaceutical Cabinets

Medical Cabinet 3

Model	Externa	l Dimensio	ns (mm)	Interna	l Dimensio	ns (mm)	Weight	Volume	Shelves	Internal Lockable
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(1)		Compartment
Medical Cabinet 1	350	300	120	_	_	_	4	_	2	No
Medical Cabinet 2	450	300	140	_	_	_	6	_	1	Yes
Medical Cabinet 3	550	380	205	_	_	_	11	_	2	Yes
Medicine Cabinet MC180D	450	420	180	435	415	145	17	26	1	No
Medicine Cabinet MC200D	670	420	200	665	415	165	25.5	45	2	Yes
Secure Stor SC050 ¹	430	446	364	377	430	305	35	49	1	No

¹ Alternative sizes page 30.









Secure Stor

(£2,000 cash rating)*

Secure Stor offers an economic solution to the ever increasing problem of safe storage of high value bulk items, including the safekeeping of medical and pharmaceutical supplies.

Whilst built to the same exacting standards as the Euro Grade range, these units are tested to EN14450-S1 and certified by VdS in Germany. Manufactured with a 3mm solid steel body, with 3-way locking mechanism and VdS approved class 1 safe lock. The internal hinges allow the door to open 102°. Hardened steel plates protect all other areas prone to attack. Available in five sizes with alternative locking options, the cabinet is supplied with prepared base fixing points and shelves.

Multiple locking options (see page 45) Deposit options (see page 22)













Secure Stor

Model	Extern	External Dimensions (mm)			al Dimension:	s (mm)	Weight	Volume	6 1 1
	Height	Width	Depth	Height	Width	Depth	(kg)	(1)	Shelves
SC050	430	446	364	377	430	305	35	49	1
SC065	550	446	364	497	430	305	42	65	1
SC110	790	496	364	737	480	305	55	108	1
SC155	1,150	496	364	1,097	480	305	76	161	2
SC215	1,510	496	364	1,457	480	305	96	213	3

^{*}Insurance ratings may vary dependent on risk & location. Please check with your insurers.

Gun & Ammunition Cabinets

These gun and rifle cabinets exceed the UK standard (BS 7558) for storing firearms and utilise 3-way 25mm locking bolts, secured by a single high security key lock to EN 1300. Concealed hinges and continuous hinge side protection offer superior resistance from attack.

- lock to prevent unauthorised use of a firearm during transportation.
 - Ammunition cabinet in two sizes is fitted with an electronic lock and key override.

Multi point locking with 8-lever safe lock.

Gun cabinets are supplied with a trigger



Electronic lock TDL



Ammunition Cabinet 200



Gun & Ammunition Cabinets

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight	Max. Capacity
	Height	Width	Depth ¹	Height	Width	Depth	(kg)	(Weapons)
Turnbull 1 ¹	1,250	300	285	1,230	290	220	63	7
Turnbull 2 ¹	1,500	380	285	1,480	370	220	84	9
Ammunition Cabinet AC180D	450	420	180	435	415	145	17	_
Ammunition Cabinet AC200D	670	420	200	665	415	165	25.5	_

 $^{^{1}}$ Includes a free gun trigger lock 90D for use during transportation. Turnbull 2 - 1,260mm to underside of fixed shelf.

Post Boxes

HIGH SECURITY POST BOXES:

Our sleek, weatherproof High Security Post Boxes are available in two sizes and have been designed for outdoor environments to protect letters and small packets from theft. As part of our One Key Solution range, High Security Post Boxes offers the potential for integration with existing 'single key' systems, simplifying security and offering increased flexibility.

• 1.5mm thick steel with Euro Profile locking.

STANDARD POST BOXES:

Utilising high grade steel, powder coating and high quality cam lock, these fabricated post boxes are built to the same exacting standards as our 'System' key cabinets. Available in two sizes with the option of front or top loading, both sizes will accept A4 comfortably. To avoid rattling in strong winds, noise dampening materials have been incorporated.

Quality cam lock and powder-coated finish to give years of service.



High Quality Cam Lock



Euro Profile Cylinder Lock



High Security Range



High Security Post Boxes

Top Loading Model	External Dimensions (mm)			Slot (mm)		Weight	
	Height	Width	Depth	Width	Depth	(kg)	
Medium Post Box	375	300	120	295	40	6	
Large Post Box	550	380	140	375	40	10	

Standard Post Boxes

Top Loading Model	External Dimensions (mm)			Slot (mm)		Weight
	Height	Width	Depth	Width	Depth	(kg)
Medium Post Box	365	270	110	245	36	2.5
Large Post Box	370	365	110	350	36	4.1
Front Loading Mod	el					
Medium Post Box	365	250	110	210	36	2.5
Large Post Box	370	365	110	325	36	4.3



Top Loading



CONVEX SECURITY MIRRORS

Strategically placed, our extensive range of convex security mirrors are used to improve security, safety and operational efficiency in a diverse range of environments, from factories to warehouses, on shop floors and in hospitals, police stations and prisons - eliminating blind spots and improving safety and surveillance where visibility is poor.

Interior Convex Mirrors

By eliminating blind spots and hard-to-see areas convex mirrors allow staff or store security to constantly and inconspicuously monitor customers or visitors. They can help to prevent accidents in warehouses, garages or busy corridors and they reduce security risks. The whole range

of convex mirrors come complete with a fully adjustable bracket which is designed to give you the best optimal angle for viewing specific areas.

Interior Convex Viewing Acrylic Face Model Description Distance Thickness **Back** (mm) (M) (mm) M18020J ACM 300 diameter 5 2 M18038J ACM 450 diameter 7 2 M18056J 600 diameter ACM 10 2 M18108J 900 diameter 18 2 Vinyl Celuka 600 x 400 M18330A 13

Supplied with bright zinc "J" arm bracket. ACM = Aluminium Composite Material.

rectangular

600 x 400 Rectangular

Interior Hemisphere Mirrors

For wide angle viewing the ceiling dome mirrors, wall dome mirrors and corner dome mirrors are all ideal in open areas above aisles and shelving. The deluxe half dome mirror is designed for busy corridors and passageway T-intersections to help avoid collisions. The lightweight vinyl back and lid fully enclose the cavity so that no dust, garbage or other objects can be left inside.



Quarter Face



Deluxe Half Face

Interior Hemisphere 90° "Quarter Dome"

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18541H	300 x 300 quarter face	3	2	_
M18562H	450 x 450 quarter face	6	3	_

Designed for corner fixing ideal for observation and as a deterrent. Dome top screws supplied.



Half Face



Full 360° Dome

Interior Hemisphere 180° "Half Dome"

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18535H	600 x 300 half face	6	2	_
M18535HE	600 x 300 deluxe half face	6	3	Vinyl Celuka
M18552H	900 x 450 half face	9	3	_

Designed for walls above shop fixtures and for anti-collision purposes. Dome top screws supplied.

Interior Hemisphere 360° "Ceiling Dome"

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18585H	600 diameter	6	2	_
M18589H	900 diameter	9	3	_

Dome top screws supplied for mounting on ceiling and suspension kit for adjustment to optimum height.

Exterior Convex Mirrors

The weather resistant heavy duty acrylic convex mirror is versatile and robust and will handle many industrial and traffic situations. Complete with a fully adjustable wall mounting bracket (optional pole mounting accessories are available) which is easy to install and allows the mirror to be angled in the most effective position.





Pedestrian Safety

Exterior Deluxe HD

Interior/Exterior (Sheltered Conditions)

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18036JP	400 diameter	7	2	ACM
M18056JP	600 diameter	10	2	ACM

Supplied with bright zinc "J" arm bracket. ACM = Aluminium Composite Material.

Exterior Heavy Duty

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18044S	450 diameter	28	2	Vinyl Celuka¹
M18062S	600 diameter	38	2	Vinyl Celuka¹
M18144S	900 diameter	55	3	Vinyl Celuka¹

Supplied with bright zinc "J" arm bracket. 10mm.


Exterior Deluxe Heavy Duty

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18066D	600 diameter	38	3	Vinyl Celuka ¹
M18087D	800 diameter	50	3	Vinyl Celuka ¹
M18445D	1,000 diameter	Over 60	3	Vinyl Celuka ¹

Supplied with pole mounting kit to suit 75mm post. 1 10mm.

Food Processing and Production Line Mirrors

The impact resistant acrylic face of the food production line mirror makes it ideal for monitoring processes, reducing production costs, bottlenecks and workplace accidents. Stainless Steel is the best option for extreme cleaning regimes.



Food Processing

Food Processing Acrylic

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18244V	450 diameter	28	2	Moulded ASA Vinyl
M18266V	600 diameter	38	2	Moulded ASA Vinyl
M18287V	800 diameter	50	3	Moulded ASA Vinyl

Supplied with stainless steel "J" arm bracket.

Food Processing Stainless Steel

Model	Description (mm)	Viewing Distance (M)	Stainless Steel Face Thickness (mm)	Back
M16144FE	450 diameter	32	0.7	Stainless Steel
M16166FE	600 diameter	42	0.9	Stainless Steel
M16187FE	800 diameter	60	0.9	Stainless Steel
M16505W	500 wall dome	30	0.9	_
M500CD	500 ceiling dome	5	1.2	_

Supplied with stainless steel "J" arm bracket (excludes dome mirrors)

Traffic Mirrors

When a high visibility general purpose traffic mirror with a superior image is required, the Pro Series Circular mirror is the ideal choice. The back is made from a 100% UV stabilised advanced plastic composite, ensuring superior longevity and strength.

Traffic Mirrors

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18666CS	600 diameter	38	2	Moulded ASA Vinyl
M18687CS	800 diameter	46	2	Moulded ASA Vinyl
M18642R	600 x 400 rectangular	38	2	Moulded ASA Vinyl
M16336C1	320 x 225 rectangular	23	Stainless Steel 0.7	Stainless Steel

Supplied with 75mm diameter pole mounting brackets. ¹Supplied with 32mm diameter pole clamp bracket only.







Half Dome

Exterior Hemisphere Half Dome

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18535H0	600 x 300 half face	9	2	Vinyl Celuka ¹
M18553H0	900 x 450 half face	12	2	Vinyl Celuka ¹

Supplied with bright zinc "J" arm bracket. 110mm.

Inspection and Testing Mirrors

Look under inspection mirrors are designed for rolling under vehicles and other large objects to view and inspect areas which are difficult to see underneath.

The model with four castor wheels allows the mirror to be easily positioned as required while the extra deep convex mirror ensures the maximum viewing area.



Fork Lift Rear View



Heavy Duty Inspection with Light

Fork Lift Rear View

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M19952A	300 x 150 half face	12	2	Moulded ASA Vinyl
M19952T	300 x 150 half face	12	2	_

Illuminated Heavy Duty Portable Inspection Mirror

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
MHI230SB	230 diameter	4	2	ACM
MHL300SB ¹	300 diameter	6	2	ACM

 1 Mounted on castors. ACM = Aluminium Composite Material. Supplied with a protective bag for safe storage when not in use.

Portable Inspection

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M18660	150 diameter	3	2	ACM
M18662	230 diameter	4	2	ACM
M18664 ¹	450 diameter	4	2	ACM

¹Mounted on castors. ACM = Aluminium Composite Material.

MOT Test Mirror

Model	Description (mm)	Viewing Distance (M)	Acrylic Face Thickness (mm)	Back
M20405	400 diameter	10	2	ACM

Institutional and Anti-Vandal Mirrors

Corrections facility mirrors have been specifically designed for use in prisons and secure units where security and safety to both quard and prisoner or patient are critical. The virtually indestructible polycarbonate or stainless steel mirror face and a unique anti ligature full steel frame give a clear distortion free reflection, while the anti-ligature hole designs are tamper proof and meet the tough requirements of many prisons and institutions worldwide. These design features ensure perfect application in any area where vandalism is an issue.





Wall Dome

M16257GS (Grey) Vanity Mirror





Quarter Dome

Half Dome

Polycarbonate - Anti-Ligature

Model	Description (mm)	Viewing Distance (M)	Polycarbonate Face Thickness (mm)	Application
MI7527H	300 x 300 quarter face	6	3	Anti- Ligature
M17537H	600 x 300 half face	6	3	Anti- Ligature
M17571DI	450 ceiling dome	4	3	Anti- Ligature
M17585DI	600 ceiling dome	6	3	Anti- Ligature



Secure Institutions Full Dome


Stainless Steel - Anti-Ligature / Anti-Vandal

_					
Model	Description (mm)	Viewing Distance (M)	Stainless Steel Face Thickness (mm)	Application	
M16525HL	250 x 250 quarter face	5	1.2	Anti- Ligature/ Vandal	
M16529HL	500 x 250 half face	6	1.2	Anti- Ligature/ Vandal	
M16505W	500 wall dome	30	0.9	Anti- Ligature/ Vandal	
M500CD	500 ceiling dome	5	1.2	Anti- Ligature/ Vandal	
M16047C1	450 diameter	32	0.7	Anti- Vandal	
M16066C ²	600 diameter	42	0.7	Anti- Vandal	

Flat Vanity Mirror - Anti-Vandal / Anti-Ligature

Model	Description (mm)	Material	Surround	Application
M16257AS	500 x 400	Stainless Steel	Steel	Anti- Ligature
M16257GS	500 x 400	Stainless Steel	Steel	Anti- Ligature
M16255GS	Round 400mm	Stainless Steel	Steel	Anti- Ligature
M16258GS	400 x 300	Stainless Steel	Steel	Anti- Ligature
M16259GS	600 x 500	Stainless Steel	Steel	Anti- Ligature

¹Supplied with 'J' arm bracket. ²Supplied with 75mm clamp bracket.



RETRACTORS & DOP

Five decades after our first Key Reel was produced, millions are in use worldwide in hundreds of different professions by people who require high-quality products they can depend on daily. From courier drivers to porters, security guards and construction workers, our key reels and retractors are a convenient and secure way to keep keys, tools and ID badges to hand at all times. Lightweight and durable, they can fasten to either belts or clothing and are available in a range of 'own-branded' models to suit individual company requirements.

Super 48[®]

Every detail of this heavy duty retractable key holder was built for rugged use and hard work. The extra durable polycarbonate case is impact resistant and the tough Kevlar® cord has been tested to over one million pulls - guaranteed to outlast any other retractable key holders on the market. The patented locking mechanism on the Super 48° key holder will ensure your keys, tools and other items stay right at your hip without dropping to the ground.



Super 48°

Strength	Fixing	Description	Code	Weight Carried	Approx. Keys Carried
Extra Heavy Duty	Spring Clip & Belt Loop	Retractor, Super 48°, 900mm Kevlar° Cord	RHDK-HD	Up to 370g	22
Heavy Duty	Spring Clip & Belt Loop	Retractor, Super 48°, 1200mm Kevlar° Cord	RHDK	Up to 230g	15
Heavy Duty	Leather Belt Loop	Retractor, Super 48°, 1200mm Kevlar° Cord	RHDK-LBL	Up to 230g	15

Original

The KEY-BAK® Original is a heavy duty key reel guaranteed to outlast the competition. Perfect for custodians, facilities and maintenance workers, hospitality and casino employees, mechanics and more. Choose from the stainless steel chain or the rugged Kevlar[®] cord. Additionally, select the back attachment that best suits you: a sturdy belt clip, secure belt loop, the removable rotating clip or the bracket for mounting purposes.



Original

Strength	Fixing	Description	Code	Weight Carried	Approx. Keys Carried
Heavy Duty	Spring Clip	Retractor, 1200mm Kevlar® Cord	RSCHDK	Up to 230g	15
Heavy Duty	Belt Loop	Retractor, 1200mm Kevlar® Cord	RBLHD	Up to 230g	15
Heavy Duty	Spring Clip & Spinner	Retractor, 1200mm Kevlar® Cord	RSPHD	Up to 230g	15
Standard Duty	Spring Clip	Retractor, 600mm Stainless Steel Chain	RSCA	Up to 230g	15
Standard Duty	Belt Loop	Retractor, 600mm Stainless Steel Chain	RBLB	Up to 230g	15
Standard Duty	Spring Clip & Spinner	Retractor, 600mm Stainless Steel Chain	RSP	Up to 230g	15
Standard Duty	Bracket	Retractor, 600mm Stainless Steel Chain	RBM	Up to 230g	N/A

Securit

The heavy duty retractable karabiner holder conveniently attaches to almost everything, making it one of the most widely used karabiner reels we make. Available with Kevlar® cord or a stainless steel chain.



Standard Duty chain (RKCH)





Karabiner

Strength	Fixing	Description	Code	Weight Carried	Approx. Keys Carried
Heavy Duty	Karabiner Clip	Retractor, Karabiner, 1200mm Kevlar® Cord	RKK	Up to 230g	15
Heavy Duty	Molle Strap	Hook & Loop Fixing 1200mm Cord	RK-SIT-STR	Up to 230g	15
Standard Duty	Karabiner Clip	Retractor, Karabiner, 600mm Stainless Steel Chain	RKCH	Up to 230g	15

Ratch-It®

The Ratch-It® Locking retractor is a popular reel to secure phones, small tools and electronics. The Ratch-It® has a strong molded black polycarbonate case and a retractable cord made with DuPont™ Kevlar® fiber.



Stops at 120mm intervals



Ratch-It®

Strength	Fixing	Description	Code	Weight Carried	Approx. Keys Carried
Heavy Duty	Spring Clip	Retractor, 1200mm Kevlar® Cord	RHDK-RIT	Up to 230g	15
Heavy Duty	Karabiner Clip	Retractor, 1200mm Kevlar® Cord	RHDK-RIT- KAR	Up to 230g	15
Heavy Duty	Karabiner Clip	Retractor with mobile phone attachment, 900mm Kevlar® Cord	RHDK-RIT- PT	-	-

Sidekick®, Midi & Mini

Office and nursing professionals want a retractable key and badge reel that will hold their keys and other small items (like a USB drive) as well as their ID badges. The Sidekick® range (RSK) does that and more.







5	id	е	Κi	ck'	°&	M	id	i

Model	Fixing	Description	Code	Weight Carried	Approx. Keys Carried
Mini Bak [®]	Spring Clip	Twin Pack Split Ring ID / Retractor	RMB-CB-2	Up to 56g	-
Sidekick®	Karabiner Clip	Sidekick [®] , Retractor & ID Badge Holder, 600mm Kevlar [®] Cord	RSK	Up to 115g	5
Whistle Safe	Karabiner Clip	600mm Kevlar® Cord matched with Fox 40 Safety Whistle	RSK-WHI- SAFE	-	5
Key-Connect	Karabiner Clip	Twin Karabiner Fixing with Orange Kevlar® Cord	RSK-KEY-CON	-	5
Midi Bak	Spring Clip & Spinner	Midi Retractor, 900mm Polyester Cord	RMB-XCBSP	Up to 170g	10

Boomerang Light Duty

The Outdoor Series Retractable Gear Tethers have a rugged black polycarbonate case with a black universal end fitting. Available in 3 sizes in a selection of fittings including karabiner, swivel belt clip and hook & loop strap.





Boomerang Light Duty

Strength	Fixing	Description	Code	Weight Carried
Light Duty	Karabiner	Retractor, Small Black, 600mm Kevlar® Cord	TRG-311	Up to 113g
Light Duty	Spring Clip	Retractor, Small Black, 600mm Kevlar® Cord	TRG-312	Up to 113g
Light Duty	Nylon Strap	Retractor, Small Black, 600mm Kevlar® Cord	TRG-313	Up to 113g

Boomerang Standard and Heavy Duty

This USA made retractable tether keeps electronics such as range finders, GPS units, phones and more secure and handy. The lightweight zinc alloy karabiner option attaches to nearly anything and the polycarbonate case with stainless steel retraction spring is built to withstand the elements of the outdoors.





Strength

Standard Duty Standard Duty Standard Duty Heavy Duty* Heavy Duty* Heavy Duty*



dar	dard and Heavy Duty						
	Fixing	Description	Code	Weight Carried			
	Karabiner	Retractor, Medium Black, 900mm Kevlar® Cord	TR2-209	Up to 170g			
	Nylon Strap	Retractor, Medium Black, 900mm Kevlar® Cord	TR2-207	Up to 170g			
	Spring Clip	Retractor, Medium Black, 900mm Kevlar® Cord	TR2-211	Up to 170g			
	Karabiner	Retractor, Large Black, 1200mm Kevlar® Cord	TR2-013	Up to 226g			
	Nylon Strap	Retractor, Large Black, 1200mm Kevlar® Cord	TR2-017	Up to 226g			
	Spring Clip	Retractor, Large Black, 1200mm Kevlar® Cord	TR2-015	Up to 226g			

^{*}Innovative locking system to keep gear tethered at desired length.

Boomerang Extra Heavy Duty

Our Gear Tethers have a durable and waterproof polycarbonate case, a smooth Kevlar® cord for extension, and a universal gear attachment that easily secure anything you'd need to quickly access such as tools, flashlights, knives and more. Choose between a metal karabiner or a hook and loop strap to quickly and easily secure your gear.





T-Reign Extra Heavy Duty

Strength	Fixing	Description	Code	Weight Carried
Extra Heavy Duty*	Karabiner	Retractor, XD Large, 900mm Kevlar® Cord	TRG-341	Up to 397g
Extra Heavy Duty*	Spring Clip	Retractor, XD Large, 900mm Kevlar® Cord	TRG-342	Up to 397g
Extra Heavy Duty*	Nylon Strap	Retractor, XD Large, 900mm Kevlar® Cord	TRG-343	Up to 397g

^{*}Innovative locking system to keep gear tethered at desired length.

ProHolster & Tech-Tether™

ProHolsters are weather and water resistant with inbuilt retractors that require only one hand to operate the catchand-latch system. Each holster includes rugged Kevlar® tether that reaches up to 900mm and the stainless steel retractor spring is proven to last more than 1 million pulls.





ProHolster

Description	Inner Dimensions (H x W x D) - mm	Code
ProSheath	N/A	TFS-1111
ProHolster	143 x 70 x 38	TRH-1011
Tech-Tether™ Mobile Device Sling	160 x 90 x 25	TTH-32
Tech-Tether [™] Mobile Device Holster	160 x 90 x 25	TTH-31



Tech-Tether[™] Holster





ToolMate® Dropped Object Protection

This innovative range of retractable tethers and link tool attachments provide protection to a wide variety of tools and equipment, preventing them being dropped and damaged as well as alleviating accidents in the workplace. Tested and approved to ANSI / ISEA 121-2023.



ToolMate® Link Strap Attachment with D-ring (RTM-LS2.25) used with Attachment Tape



ToolMate® Link Strap Attachment with D-ring (RTM-LS1.36)



ToolMate® Drill Shoe Attachment with Retractable Tool Tether (RTM-2.25) SmartPhone Jacket and Tape Measure Jacket (RTM-LTMJ) with Retractable Tool Tether (RTM-0.45)





ToolMate® Retractable Tool Tethers

Model	Fixing	Code	Weight Carried
ToolMate® Retractable Tool Tether	Karabiner	RTM-0.45*	0.45kg
ToolMate® Retractable Tool Tether	Karabiner	RTM-0.91	0.91kg
ToolMate® Retractable Tool Tether	Karabiner	RTM-2.25	2.25kg

^{*}Inbuilt Ratch-It to enable locking cord in position.

ToolMate® Tool Attachments

Model	Weight Carried	Code
ToolMate® Drill Shoe Attachment	-	RTM-LDS
ToolMate® Tape Measure Jacket	-	RTM-LTMJ
ToolMate® SmartPhone Jacket XL	-	RTM-LSPJ-XL
ToolMate® Tablet Jacket		RTM-LTJ
ToolMate® Link Strap Attachment with D-ring (3-pack)	1.36kg	RTM-LS1.36
ToolMate® Link Strap Attachment with D-ring (3-pack)	2.25kg	RTM-LS2.25
ToolMate® Link Strap Attachment with cord loop & D-ring (3-pack)	2.25kg	RTM-LSCL2.25
ToolMate® Link Strap Attachment with strap loop and D-ring (3-pack)	2.25kg	RTM-LSL2.25
ToolMate® Link Strap 900mm Karabiner/Karabiner	4.50kg	RTM-LS-KK4.5
ToolMate® Link Strap 900mm Karabiner/Strap Loop	4.50kg	RTM-LS-KSL4.5
ToolMate® Link Strap 900mm Karabiner/Karabiner	6.80kg	RTM-LS-KK6.8
ToolMate® Link Strap 900mm Karabiner/Strap Loop	6.80kg	RTM-LS-KSL6.8



ToolMate® Retractor (RTM-2.25)



LOCKING OPTIONS

Securikey recognises that there may be a requirement to add or alter the standard locking configuration to increase functionality. We offer examples of the alternatives listed below for this reason.



LA GARD 702

1 Master, 1 Manager, 28 Users Audit trail of last 500 events via

Audit trail of last 500 events via additional software. Time Delay and Duel Mode.





LA GARD 702 DISPLAY 1 Master, 1 Manager, 28 Users

Audit trail of last 500 events. Last 50 events visible on OLED display. Time Delay and Duel Mode.





WITTKOPP PRIMOR LEVEL 15 1 Master, 8 User

VdS Class 2 lock with 2 user code and time delay facility.





WITTKOPP PRIMOR LEVEL 5 1 Master, 1 user Code

VdS Class 2 lock with 2 user code and time delay facility.





SAFE LOGIC DIRECT DRIVE

Single user code with master override facility and wrong code penalty.





TDL

1 manager and 1 user code
with Key override. Can be

programmed to both home and hotel mode. Motorised Bolts.





BIO LOCK

10 Finger print capacity and digital USB override. Designed to replace a standard Securikey Cam lock it is rechargeable and easy to set up and use.





SAFE LOGIC SWIGBOLT

Single user code with master override facility and wrong code penalty.





PADLOCKING CAM LOCK

Designed to replace our standard Cam Lock, this option accepts a padlock with 8mm diameter shackle (Max).





CL1000

Entry level electronic lock with programmable 4-digit code, designed to replace our standard Cam Lock. May be fitted horizontally or vertical depending on product.





MECHANICAL PUSH BUTTON LOCK

A push button lock similar to those used extensively within offices in the UK. This lock type is available with a slam lock only.





3/4-WHEEL MECHANICAL COMBINATION

A combination lock used extensively in the safe industry. Offers in excess of 1 million combinations.



ACCREDITATIONS & TESTING



Master Locksmiths Association

We are affiliate members of the Master Locksmiths Association. This organisation inspects and tests both individual members and companies to ensure they are delivering a quality service to a agreed standard with employees that are security vetted.



ESSA

We are members of ESSA, the European Security Systems Association, who provide clear and uniform test methods amongst individual countries test houses.



Secured by Design

Third party approval of our certified products to an agreed police approved standard. Only products falling under this accreditation can be recommended by the police force and its agents. Working closely with BSI and Sold Secure etc. on items as diverse as door locks, safes, fencing to advising on designing out crime in new builds.



Recycling ISO 14001

Products supplied carrying this label are made from or with recyclable materials with special focus on our range of safes graded to European standards, no compromise is made on security just a little more care on the sourcing and sustainability of materials.



ISO 9001-2015

An international standard for quality management systems (QMS), designed to help organisations improve efficiency, meet customer needs and achieve consistent results.



Sold Secure

Securikey uses 2 main test houses for our safe and vault product, The VdS in Germany and Sold Secure in the United Kingdom. Sold Secure is part of the MLA and tests items such as safes, gun cabinets, padlocks and door locks. Sold Secure test to recognise 3rd party standards be that BSI or EN. Rest assured if its certified at Sold Secure it is tested every year to ensure continuity of resistance to attack.



AiS

The inclusion of the AiS approved logo re-enforces the importance of independent testing and the products approved status with a large amount of British Insurers. This safe list is a good guide to new and old cash ratings, however you are advised to check with your insurers before installation.





Burglary

Our range of safes and vaults are tested to 3 main British and European standards that have been adopted by the UK insurance industry, these standards cover cash rating from £2,000 to £1 million, this rating is x10 for valuables such as watches, jewellery or bonds. The range of tools used and time taken is strictly measured to ensure if the product carries approval under these standards then you can guarantee that they are up to and in most cases exceed this agreed resistance to attack. Each item will bear this badge with its tested standard and level achieved.

The testing undertaken at the UK Sold Secure test house is an annual procedure and as you can see from several of the images, multiple tool sets are pre-perscribed in the standard be that our safes, padlocks, key holding boxes or door cylinders.








Fire Protection Rating

The level of fire protection provided is indicated by the use of this icon, signifying the temperature and time duration achieved. This rating is established from both our own 'in-house' test and independent testing in Sweden, US and the UK. Testing standards include NT017/ BS476-20/EN1363-1 and UL.





Anti Vandal / Ligature

Our range of anti-vandal and anti-ligature mirrors are tested at the SKG laboratory to destruction to ensure that they are more than capable of withstanding the tough climate of prisons, mental care facilities and the urban environment.



Dropped Object Protection

ANSI/ISEA 121-2023 Certified 3rd party testing guarantees your ToolMate Tool Tether is designed, tested and proven to a 2:1 safety factor.

Security Standards

Where no clear industry standards exist, Securikey has developed its own rating system to aid product selection. We have applied 50 years experience within the security industry to these standards, and found them to be an excellent measure of strength and durability.



Products which provide the highest possible standard of security in each range.



Offering additional security and strength, over and above Bronze level.



Where a base level of protection or security is required.

Guarantee

Securikey branded products offer a 1 year guarantee in respect of materials and workmanship*. This can be increased to 3 years by registering online at **securikey.co.uk**. Master Lock® security branded products in most instances carry a lifetime guarantee.

*Guarantee applicable to the lock is limited to that offered by the lock's



Other publications:





+44 (0)1252 311 888 securikey.co.uk enquiries@securikey.co.uk

Securikey Limited, PO Box 18 Aldershot, Hampshire, GU12 4SL

Disclaimer: Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate







